



LUMINAIRES

PRICE CUM PRODUCT RECKONER

w . e . f . N o v e m b e r 2 0 1 5



AUTHORISED DEALER

Bajaj Electricals Ltd.
BAJAJ *Inspiring Trust*

LUMINAIRES BUSINESS UNIT, 601, Rustomjee Aspiree,
 Bhanu Shankar Yagnik Marg, Off Eastern Express Highway,
 Sion (E), Mumbai 400 022. Tel: 022 2406 4400
 E-mail : luminaires@bajajelectricals.com
 www.bajajelectricals.com
 f /BajajElectricals | t /BajajElectrical



SKYLUX XE | BZRSQ W3 XE NW

Winners of the Global Efficiency Medal
 for Super-Efficient Commercial LED Lighting 2015

Winners of the Global Efficiency Medal
for Super-Efficient Commercial LED Lighting 2015



SKYLUX XE | BZRSQL W3 NW

This is a time tested LED product from Bajaj family which has been now upgraded with the LED technology in both light emission as well as power electronics. Full light window gives wide spread uniform illumination.

Opal acrylic diffuser is fixed in separate CRCA sheet steel frame and driver is mounted on top for easy maintenance.

‘SKYLUX’ has constant current output driver with operating range 150-265V AC supply voltages. Housing white powder coated finish. Available in 30W and 36W in recess and surface versions. Also available in 300x1200 mm length in 36W. Separate driver with 85% efficiency and low THD <10%, high power factor >0.95 and 2kV surge protection.

‘SKYLUX’ is a ready made solution to upgrade from T5/CFL installations into LED in public and government offices, modern retail formats, training institutes and hospitals.

Content








.nxt LED	01-12
Commercial LED lighting	01-02
office lighting	01
retail lighting	02
Industrial LED Lighting	05-06
industrial lighting	05
cleanroom lighting	06
Roadway LED Lighting	07-08
Area LED Lighting	09-10
Urban Architecture LED Lighting	11-12

CONVENTIONAL LUMINAIRES	10-24
Commercial Conventional Lighting	10-11
office lighting	11
retail lighting	12
Industrial Conventional Lighting	13-14
industrial lighting	14
hazardous lighting	15
cleanroom lighting	16
Roadway Conventional Lighting	17-18
Area Conventional Lighting	19-20
Urban Architecture Conventional Lighting	21-22
Induction Conventional Lighting	23-24

RENEWABLE LUMINARES	25-26
Solar Standalone Streetlight	25
Solaron	23


IBMS	27-28
------	-------

Accessories	29-32
Ballast	29
Light Sources	30
HID Lamps	31
Spare Price List	32



.nxt LED	01-12
Commercial LED lighting	01-02
office lighting	01
retail lighting	02
Industrial LED Lighting	05-06
industrial lighting	05
cleanroom lighting	06
Roadway LED Lighting	07-08
Area LED Lighting	09-10
Urban Architecture LED Lighting	11-12

Commercial LED Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'DRONE -i' High power downlight				
112321	BCDLR 32 WH	White	8	4000
112333	BCDLR 32 NW	Neutral white	8	4000
112320	BCDLR 20 WH	White	8	3200
112332	BCDLR 20 NW	Neutral white	8	3200
Low glare recessed fixed downlight with anodised aluminium reflector for high efficiency.				



'DRONE-I Surface' (housing only)				Unit Price ₹
169790	BCDLS 20/32W Housing-1	Suitable for	8	2000
953546	BCDLS 20/32W Suspension-1	20/32W Drone-I	8	600
Additional accessory for surface mounting of Drone-I. To make Drone-I surface mounted add the housing to Drone-I eg surface mounted 20W Drone-I BCDLR 20 WH + BCDLS 20/30W housing.				



'DOVEE- pro' Recess mounting professional grade (100lm/W) LED downlight				
112122	BZSLO 12W WH PRO	White	12	2150
112123	BZSLO 12W NW PRO	Neutral white	12	2150
112124	BZSLO 15W WH PRO	White	12	2250
112125	BZSLO 15W NW PRO	Neutral white	12	2250
112126	BZSLO 18W WH PRO	White	12	2400
112127	BZSLO 18W NW PRO	Neutral white	12	2400



ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'DOVEE' Recess mounting LED downlight				
111619	▶ BZSLO 12W WH	White	12	1800
111621	BZSLO 12W NW	Neutral white	12	1800
111610	▶ BZSLO 15W WH	White	12	1950
111612	BZSLO 15W NW	Neutral white	12	1950
111628	▶ BZSLO 18W WH	White	12	2200
111630	BZSLO 18W NW	Neutral white	12	2200



'DOVEE SQ' Recess mounting LED downlight				
111625	BZSLO 12W SQ WH	White	12	1900
111627	BZSLO 12W SQ NW	Neutral white	12	1900
111616	▶ BZSLO 15W SQ WH	White	12	1950
111618	BZSLO 15W SQ NW	Neutral white	12	1950
111634	BZSLO 18W SQ WH	White	12	2200
111636	BZSLO 18W SQ NW	Neutral white	12	2200



'DOVEE D' Recess mounting LED downlight				
111613	BZSLOD 15W WH	White	12	1950
111615	BZSLOD 15W NW	Neutral white	12	1950



'DOVEE- LH' Recess mounting low height backlit round LED downlight with non integral driver				
112260	BZSLH 6W WH	White	12	1000
112261	BZSLH 6W NW	Neutral white	12	1000
112262	BZSLH 6W WW	Warm white	12	1000
112263	BZSLH 12W WH	White	12	1525
112264	BZSLH 12W NW	Neutral white	12	1525
112265	BZSLH 12W WW	Warm white	12	1525
112266	BZSLH 15W WH	White	12	1575
112267	BZSLH 15W NW	Neutral white	12	1575
112268	BZSLH 15W WW	Warm white	12	1575



ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'DOVEE- LH' Recess mounting low height backlit round LED downlight with non integral driver				
112269	BZSLH 18W WH	White	12	1740
112270	BZSLH 18W NW	Neutral white	12	1740
112271	BZSLH 18W WW	Warm white	12	1740
112272	BZSLH 24W WH	White	12	2400
112273	BZSLH 24W NW	Neutral white	12	2400
112274	BZSLH 24W WW	Warm white	12	2400



'DOVEE- LH' Recess mounting low height backlit square LED downlight with non integral driver				
112275	BZSLH 6W SQ WH	White	12	1000
112276	BZSLH 6W SQ NW	Neutral white	12	1000
112277	BZSLH 6W SQ WW	Warm white	12	1000
112278	BZSLH 12 SQ WH	White	12	1525
112279	BZSLH 12W SQ NW	Neutral white	12	1525
112280	BZSLH 12W SQ WW	Warm white	12	1525
112281	BZSLH 15W SQ WH	White	12	1575
112282	BZSLH 15W SQ NW	Neutral white	12	1575
112283	BZSLH 15W SQ WW	Warm white	12	1575
112284	BZSLH 18W SQ WH	White	12	1740
112285	BZSLH 18W SQ NW	Neutral white	12	1740
112286	BZSLH 18W SQ WW	Warm white	12	1740
112287	BZSLH 24W SQ WH	White	12	2400
112288	BZSLH 24W SQ NW	Neutral white	12	2400
112289	BZSLH 24W SQ WW	Warm white	12	2400



'SLEEK RD' Sleek round recess mounting LED downlight				
111556	BGSLO Sleek 3W RD	White	30	590
111569	BGSLO Sleek 6W RD	White	18	890
111555	BGSLO Sleek 12W RD	White	12	1500
111571	BGSLO Sleek 18W RD	White	6	2175

Neutral white and warm white available on request.



'SLEEK SQ' Sleek square recess mounting LED downlight				
111557	BGSLO Sleek 4 WH SQ	White	30	675
111572	BGSLO Sleek 8 WH SQ	White	20	1000
111573	BGSLO Sleek 15 WH SQ	White	12	1675

Neutral white and warm white available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'Sleek' surface mounted round downlight				
111944	BGSLO Sleek Surface 3 WH RD	White	30	800
111946	BGSLO Sleek Surface 6 WH RD	White	18	1000
111947	BGSLO Sleek Surface 12 WH RD	White	12	1675
111948	BGSLO Sleek Surface 18 WH RD	White	6	2350

Surface mounted round LED downlight for soft diffused lighting - height only 32mm



'Sleek' surface mounted square downlight				
111945	BGSLO Sleek Surface 4 WH SQ	White	30	800
111942	BGSLO Sleek Surface 8 WH SQ	White	18	1250
111943	BGSLO Sleek Surface 15 WH SQ	White	12	1750

Surface mounted square LED downlight for soft diffused lighting - height only 32mm



'TARA' round surface mounting LED luminaire				
111644	BGCML 06 01 WH	White	12	1500
111645	BGCML 12 01 WH	White	8	2700
111646	BGCML 18 095 WH	White	1	3500

Integral, round shape surface mounting high power LED luminaire, dome shape opal diffuser.



'AURALITE ' Recess mounting decorative LED 2x2 luminaire				
539425	BPOARM 43W LED WH	White	1	11000
539426	BPOARM 43W LED NW	Neutral white	1	11000

White powder coated CRCA housing with LEDs. Wing diffuser and nano crystalline central panel for uniform flow of light.



'WAFFLE' Recess mounting low glare LED 2x2 luminaire				
112245	BRWSQ 36 W WH	White	1	8000
112246	BRWSQ 36 W NW	Neutral white	1	8000

White powder coated CRCA housing with LEDs in polycarbonate light grade reflector scones for low glare lighting.



'GREEN CENTER' Recess mounting direct/indirect LED 2x2 luminaire				
112051	BXTBLR 36 WH	White	1	4500
112052	BXTBLR 36 NW	Neutral white	1	4500

White powder coated CRCA housing with LEDs. Curvilinear reflector for uniform flow of light around the central lighting core.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'HALOS' Recess mounting LED 2x2 luminaire with acrylic drop light dissipator				
111897	BTTI 36W LED WH	White	1	5200
111898	BTTI 36W LED NW	Neutral white	1	5200
Recess mounted indirect decorative LED luminaire with highly efficient translucent acrylic.				



'DAVOS' Recess mounting LED 2x2 luminaire with white acrylic drop light dissipator				
112070	BDTBLR W3 WH	White	1	4400
112071	BDTBLR W3 NW	Neutral white	1	4400
White powder coated CRCA housing with LEDs. Plane front frame with white acrylic drop light dissipator fixed to the housing. Convex acrylic diffuser enables lighting as per LG3 guidelines.				



'DOVEX PRO' Recess mounting LED 2x2 luminaire with white acrylic flat light dissipator				
111984	▶ BCTBLR 36W ATN WH	White	1	6650
111985	BCTBLR 36W ATN NW	Neutral white	1	6650
White powder coated CRCA housing with LEDs placed in a central pocket to give a high delivered lumen package.				



'ARMSTORME' Recess mounting low depth LED 2x2 luminaire				
112411	BARSQ 24W WH	White	1	3800
112412	BARSQ 24W NW	Neutral white	1	3800
112343	BARSQ 36W WH	White	1	4000
112344	BARSQ 36W NW	Neutral white	1	4000
112413	BARSQ 43W WH	White	1	4300
112414	BARSQ 43W NW	Neutral white	1	4300
White powder coated CRCA housing with LEDs and full window acrylic diffuser.				



'SKYLITE' Recess mounting LED 2x2 luminaire				
111980	▶ BCTBLR 36W ZTN WH	White	1	6100
111981	▶ BCTBLR 36W ZTN NW	Neutral white	1	6100
111982	BCTBLR 43W ZTN WH	White	1	6400
111983	BCTBLR 43W ZTN NW	Neutral white	1	6400

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'SKYLITE' Surface mounting LED 2x2 luminaire				
111652	BCTBLS 36 ZT WH	White	1	6100
111653	BCTBLS 36 ZT NW	Neutral white	1	6100
111901	BCTBLS 43 ZT WH	White	1	6400
111902	BCTBLS 43 ZT NW	Neutral white	1	6400
White powder coated CRCA housing with highpower LEDs. Aluminium front frame with flat white high transmission acrylic cover.				



'SKYLITE' Mini R Recess mounting LED 1x1 luminaire				
111655	BCTBLR 18 ZT WH	White	4	3550
111656	BCTBLR 18 ZT NW	Neutral white	4	3550



'SKYLITE' Mini SF surface mounting LED 1x1 luminaire				
111649	BCTBLS 18 ZT WH	White	4	3550
111650	BCTBLS 18 ZT NW	Neutral white	4	3550



'SKYLUX' Recess mounting LED 2x2 luminaire				
111778	▶ BZRSQ 36W GZ WH	White	1	5200
111962	BZRSQ 36W GZ NW	Neutral white	1	5200
111552	BZRSQ 36W GIII WH	White	1	5500
111777	BZRSQ 36W GIII NW	Neutral white	1	5500
112008	BZRSQ W3 XE WH	White	1	6500
112009	BZRSQ W3 XE NW	Neutral white	1	6500
111903	BZRSQ 36W XL WH	White	1	7500
111904	BZRSQ 36W XL NW	Neutral white	1	7500
White powder coated CRCA housing with LEDs. Seamless front frame with flat white high transmission acrylic cover.				



'SKYLUX' Surface mounting 2x2 LED luminaire				
111180	BZSSQ 36W WH	White	1	5600
111181	BZSSQ 36W NW	Neutral white	1	5600



'SKYLUX' recessed mounting LED 4x1 luminaire				
111870	BZSLL 36W WH	White	1	6600
111907	BZSLL 36W NW	Neutral white	1	6600

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------

'SKYLUX' surface mounting LED 4x1 luminaire

112087	BZSSL 36W WH	White	1	6600
111898	BZSSL 36W NW	Neutral white	1	6600

'SKYLUX' Recess mounting 1x1 LED luminaire

111910	BZSQL 18W WH	White	1	2500
111911	BZSQL 18W NW	Neutral white	1	2500

'SKYLUX' Surface mounting 1x1 LED luminaire

111912	BZSQL 18W WH	White	1	2500
111913	BZSQL 18W NW	Neutral white	1	2500

'Flexi LED strip' - 5W/mtr, 5mtr roll (driver included)

220283	BCFL 300 25W IP20	Warm White	5	2500
220284	BCFL 300 25W IP20	White	5	2500
220285	BCFL 300 25W IP20	Neutral White	5	2500
220273	BCFL 300 25W IP65	Warm White	5	3100
220274	BCFL 300 25W IP65	White	5	3100
220275	BCFL 300 25W IP65	Neutral White	5	3100

'Flexi LED strip' - 15W/mtr, 5mtr roll (driver included)

220280	BCFL 300 75W IP20	Warm White	5	4500
220281	BCFL 300 75W IP20	White	5	4500
220282	BCFL 300 75W IP20	Neutral White	5	4500
220286	BCFL 300 75W IP65	Warm White	5	6000
220287	BCFL 300 75W IP65	White	5	6000
220288	BCFL 300 75W IP65	Neutral White	5	6000

'Connect LED Pendant luminaires

112229	BPTX 40W LED4F NW	Neutral White	1	7700
112230	BPTX 40W LED4F WH	White	1	7700
112231	BPTX 40W LED4F WW	Warm White	1	7700
112223	BPTX 2-40W LED8F NW	Neutral White	1	14500
112224	BPTX 2-40W LED8F WH	White	1	14500
112225	BPTX 2-40W LED8F WW	Warm White	1	14500

Suspension of 1.5 mtr. is included (02 nos.)

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------

'Connect LED Pendant luminaires

112226	BPTX 28W LED4F NW	Neutral White	1	7400
112227	BPTX 28W LED4F WH	White	1	7400
112228	BPTX 28W LED4F WW	Warm White	1	7400
112220	BPTX 2-28W LED8F NW	Neutral White	1	14400
112221	BPTX 2-28W LED8F WH	White	1	14400
112222	BPTX 2-28W LED8F WW	Warm White	1	14400
112214	BPTX 20W LED4F NW	Neutral White	1	7300
112215	BPTX 20W LED4F WH	White	1	7300
112216	BPTX 20W LED4F WW	Warm White	1	7300
112217	BPTX 2-20W LED8F NW	Neutral White	1	14400
112218	BPTX 2-20W LED8F WH	White	1	14400
112219	BPTX 2-20W LED8F WW	Warm White	1	14400

Suspension of 1.5 mtr. is included (02 nos.).

'Connect LED Pendant luminaires

112232	BPTXn 20W LED4F NW	Neutral White	1	5700
112233	BPTXn 20W LED4F WH	White	1	5700
112234	BPTXn 20W LED4F WW	Warm White	1	5700
112235	BPTXn 2-20W LED8F NW	Neutral White	1	11500
112236	BPTXn 2-20W LED8F WH	White	1	11500
112237	BPTXn 2-20W LED8F WW	Warm White	1	11500

Suspension of 1.5 mtr. is included (02 nos.).

'Connect LED Recess luminaires

112116	BRTX 40W LED4F NW	Neutral White	1	6500
112113	BRTX 40W LED4F WH	White	1	6500
112209	BRTX 40W LED4F WW	Warm White	1	6500
112205	BRTX 2-40W LED8F NW	Neutral White	1	13000
112206	BRTX 2-40W LED8F WH	White	1	13000
112207	BRTX 2-40W LED8F WW	Warm White	1	13000
112115	BRTX 28W LED4F NW	Neutral White	1	6400
112112	BRTX 28W LED4F WH	White	1	6400
112208	BRTX 28W LED4F WW	Warm White	1	6400
112202	BRTX 2-28W LED8F NW	Neutral White	1	12500
112203	BRTX 2-28W LED8F WH	White	1	12500
112204	BRTX 2-28W LED8F WW	Warm White	1	12500
112114	BRTX 20W LED4F NW	Neutral White	1	6300
112111	BRTX 20W LED4F WH	White	1	6300
112198	BRTX 20W LED4F WW	Warm White	1	6300

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



'Connect LED recess narrow'				
112211	BRTX 2-20W LED8F NW	Neutral White	1	12500
112212	BRTX 2-20W LED8F WH	White	1	12500
112213	BRTX 2-20W LED8F WW	Warm White	1	12500
112121	BRTXn 20W LED4F NW	Neutral White	1	5200
112120	BRTXn 20W LED4F WH	White	1	5200
112210	BRTXn 20W LED4F WW	Warm White	1	5200
112199	BRTXn 2-20W LED8F NW	Neutral White	1	10500
112200	BRTXn 2-20W LED8F WH	White	1	10500
112201	BRTXn 2-20W LED8F WW	Warm White	1	10500



'Connect series' in LED recess luminaires for tech zone ceiling				
112345	BRTZ 28W LED WH	White	1	5500
112346	BRTZ 28W LED NW	Neutral White	1	5500
112347	BRTZ 36W LED WH	White	1	5700
112348	BRTZ 36W LED NW	Neutral White	1	5700



Baton integrated LED channel				
112405	BCLSB 05 WH	White	16	550
112406	BCLSB 05 NW	Neutral White	16	550
112407	BCLSB 10 WH	White	16	700
112408	BCLSB 10 NW	Neutral White	16	700
112409	BCLSB 18 WH	White	16	950
112410	BCLSB 18 NW	Neutral White	16	950

Integral sleek extruded polycarbonate LED channel with white acrylic cover.



LED tube light				
112066	BLRB 18W CW	Cool White	10	999



Batten for LED tube light				
112181	BLRB-DB 118	1x18W LED	16	570
112182	BLRB-DB 218	2x18W LED	16	620

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
-----------------------	----------------	--------------------	------------------	-------



Single sided LED signage with built in battery back-up for 2 hrs.				
220208	BESL 03 LED SSD WBB Green	Green	10	6700
220209	BESL 03 LED SSD WBB Red	Red	10	6700



Double sided LED signage with built in battery back-up for 2 hrs.				
220210	BESL 03 LED DSD WBB Green	Green	10	8000
220211	BESL 03 LED DSD WBB Red	Red	10	8000

Note: Different artwork is possible for different applications as given below.

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	BRIEF DESCRIPTION	RSP ₹
-----------------------	---------------------	-------------------	-------



Single sided version			
111365	BESL 03 LED SSD WBB Green MR	3W Single side display with man running right (with 2 hours battery backup)	6700



Single sided version			
111366	BESL 03 LED SSD WBB Green ML	3W Single side display with man running right (with 2 hours battery backup)	6700



Single sided version			
220208	BESL 03 LED SSD WBB Green	3W Single side display for exit (with 2 hour battery backup)	6700
220210	BESL 03 LED DSD WBB Green	3W Double side display for exit (with 2 hours battery backup)	8000



Double sided version			
220211	BESL 03 LED DSD WBB Red	3W Double side display in red colour (with 2 hours battery backup)	8000
220213	BESL 03 LED SSD WBB Red	3W Double side display in red colour (with 2 hours battery backup)	4700

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	BRIEF DESCRIPTION	RSP ₹
Double sided version			
111499	Staircase signage down DSD WBB	3W Double side display for staircase downwards (with 2 hour battery backup)	8000
111500	Staircase signage down SSD WBB	3W Single side display for staircase downwards (with 2 hour battery backup)	6700
Double sided version			
111501	Staircase signage up DSD WBB	3W Double side display for staircase upwards (with 2 hour battery backup)	8000
111502	Staircase signage up SSD WBB	3W Single side display for staircase upwards (with 2 hour battery backup)	6700
Double sided version			
111503	Lift signage DSD WBB	3W Double side display for lift (with 2 hour battery backup)	8000
111504	Lift signage SSD WBB	3W Single side display for lift (with 2 hour battery backup)	6700
Double sided version			
111505	Gents toilet signage DSD WBB	3W Double side display for gents toilet (with 2 hours battery backup)	8000
111506	Ladies toilet signage DSD WBB	3W Double side display for ladies toilet (with 2 hours battery backup)	8000
Double sided version			
111507	Ramp signage DSD WBB	3W Double side display for ramp (with 2 hours battery backup)	8000
Double sided version			
111508	Entry signage SSD WBB	3W Single Side Display for ENTRY with Right Arrow (with 2 hours battery backup)	6700
Double sided version			
111509	EXIT with right arrow SSD	3W Single Side Display for EXIT with Right Arrow (with 2 hours battery backup)	6700
111510	EXIT with right arrow DSD	3W Double Side Display for EXIT with Right Arrow (with 2 hours battery backup)	8000

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	---------------------	-----------	------------------	-------

LED track spots and downlights



'Directo' track mounted LED spot light luminaire suitable for 3 Phase track

111850	BRTL 28W LED WH 36D	28W LED COB	6	8000
111859	BRTL 36W LED WH 36D	36W LED COB	6	12250
111868	BRTL 50W LED WH 36D	50W LED COB	6	18000

Powder coated die cast housing with glass enclosure and anodised aluminium reflector. COB based luminaire. LED driver in-built. Three phase track required for mounting. WW/NW/WH colour options available. Beam angle 15D/24D/36D.




3 Phase track				Unit Price ₹
169154	BLTR 1MT 3PH	-	20	6000
169156	BLTR 2MT 3PH	-	20	8000



Alpha Track Mounted LED spot light luminaire suitable for 1 Phase track

111606	Alpha 12W WW	12W LED	4	4200
111568	Alpha 16W WW	16W LED	4	5000

Track spots suitable for single track. Alpha 24W available on request.



1 Phase track				Unit Price ₹
169120	BLTR 1M 1PH	-	20	1800
169167	BLTR 2 M 1PH	-	20	3000



Recessed mounted directional LED spotlight

111823	BXDR 28W WH LED 36D	LED 28W COB	6	9000
111832	BXDR 36W WH LED 36D	LED 36W COB	6	10000
111841	BXDR 56W WH LED 36D	LED 50W COB	6	16000

Powder coated die cast housing with glass enclosure and anodised aluminium reflector. COB based luminaire with 45Deg. swivel. Non integrated LED driver. WW/NW/WH colour options available. Beam angle 15D/24D/36D.

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	---------------------	-----------	------------------	-------



Recessed mounted directional LED spotlight

111882	BXDR 50 WW	LED 40W COB	1	5750
111881	BXDR 50 NW	LED 40W COB	1	5750
112047	BXDR 30 WW	LED 30W COB	1	5500
112048	BXDR 30 WH	LED 30W COB	1	5500

■ Powder coated die cast housing with glass enclosure and anodised aluminium reflector. COB based luminaire with 45Deg swivel. Non integrated LED driver.



KLASS Recessed mounted adjustable downlight

111880	BRDCLR 50 WW	45W LED COB	1	5900
111879	BRDCLR 50 NW	45W LED COB	1	5900
112019	BRDCLR 50 WH	45W LED COB	1	5900
111960	BRDCLR 30 WW	30W LED COB	1	5000
111961	BRDCLR 30 NW	30W LED COB	1	5000
112022	BRDCLR 30 WH	30W LED COB	1	5000

New age LED based adjustable downlight with white powder coated aluminium housing. Spring loaded mounting brackets for ease of installation.



'Quadra' Recessed mounted adjustable downlight

111800	BLDRS 30W LED	30W LED COB	1	8200
111799	BLDRS 2x30W LED	2x30W LED COB	1	17000

■ New age LED based adjustable downlight available in combination of 2/3/4 downlights in single housing. BLDRS 3x30 LED and BLDRS 4x30 LED available on request.



Recessed mounted adjustable downlight

112155	BCDLi 6W NW	6W LED COB	1	2200
112156	BCDLi 6W WH	6W LED COB	1	2200
112157	BCDLi 6W WW	6W LED COB	1	2200
112158	BCDLi 9W NW	9W LED COB	1	2400
112159	BCDLi 9W WH	9W LED COB	1	2400
112160	BCDLi 9W WW	9W LED COB	1	2400
112161	BCDLi 2x6W NW	2x6W LED COB	1	4100
112162	BCDLi 2x6W WH	2x6W LED COB	1	4100
112163	BCDLi 2x6W WW	2x6W LED COB	1	4100
112164	BCDLi 2x9W NW	2x9W LED COB	1	4200
112165	BCDLi 2x9W WH	2x9W LED COB	1	4200
112166	BCDLi 2x9W WW	2x9W LED COB	1	4200
112167	BCDLi 3x6W NW	3x6W LED COB	1	5500
112168	BCDLi 3x6W WH	3x6W LED COB	1	5500
112169	BCDLi 3x6W WW	3x6W LED COB	1	5500



ORDERING PRODUCT CODE	CATALOGUE REFERENCE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	---------------------	-----------	------------------	-------



Recessed mounted directional LED spotlight

112170	BCDLi 3x9W NW	3x9W LED COB	1	5800
112171	BCDLi 3x9W WH	3x9W LED COB	1	5800
112172	BCDLi 3x9W WW	3x9W LED COB	1	5800

■ Accent LED lights - 6W & 9W available in combination of 1, 2 & 3 special swivel assembly to accent the objects. Epoxy powder coated CRCA housing. Pressure die cast aluminium carriage assembly houses the high efficacy COB LED. Spring loaded mounting brackets.



'KLASS' Recessed mounted adjustable downlight for accent lighting

112372	BRDCSL 6W WH	6W LED COB	1	1150
112373	BRDCSL 6W NW	6W LED COB	1	1150
112377	BRDCSL 6W WW	6W LED COB	1	1150
112375	BRDCSL 9W WH	9W LED COB	1	1600
112376	BRDCSL 9W NW	9W LED COB	1	1600
112377	BRDCSL 9W WW	9W LED COB	1	1600
112378	BRDCSL 16W WH	16W LED COB	1	2150
112379	BRDCSL 16W NW	16W LED COB	1	2150
112380	BRDCSL 16W WW	16W LED COB	1	2150
112381	BRDCSL 30W WH	30W LED COB	1	4000
112382	BRDCSL 30W NW	30W LED COB	1	4000
112383	BRDCSL 30W WW	30W LED COB	1	4000
112384	BRDCSL 50W WH	50W LED COB	1	4800
112385	BRDCSL 50W NW	50W LED COB	1	4800
112386	BRDCSL 50W WW	50W LED COB	1	4800

■ Accent LED light family - from 6W to 50W. White powder coated recessed mounted fixture. Pressure die cast aluminium housing with high efficiency reflector. Spring loaded mounting brackets for ease of installation.

LED MIDBAY



Suspended midbay

169742	BTS 80W WH LED	80W LED	2	9000
--------	----------------	---------	---	------

■ Unique LED Midbay for uniform illumination. Suitable for surface & suspended mounting. CRCA housing comprising opal diffusers & white LEDs Powder coated reflector for enhanced light distribution. Suspension (if required) to be ordered separately.



Suspended prismatic midbay

111746	BLRI 30W LED	LED 30W	1	7800
112084	BLRI 50W LED	LED 50W	1	8350

Pendant LED based luminaire with fluted polycarbonate refractor and cover. Integral aluminium spun housing with Inbuilt driver.

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	---------------------	-----------	------------------	-------

LED BATTEN



'Flexitron VIVA' LED batten (4 Ft)				
112189	BLTRU 80W WH VIVA	80W LED	4	8350
111708	BLTRU 40W WH VIVA	40W LED	4	4850
111710	BLTRU 40W NW VIVA	40W LED	4	4850
112176	BLTRU 20W WH VIVA	20W LED	4	4500
112177	BLTRU 20W NW VIVA	20W LED	4	4500



'Flexitron NEO' LED batten (4 Ft)				
111492	BLTRU 40W WH NEO	40W LED	4	6500
111493	BLTRU 40W NW NEO	40W LED	4	6500
112173	BLTRU 20W WH NEO	20W LED	4	4500
112174	BLTRU 20W NW NEO	20W LED	4	4500

LED batten for surface and pendant. Separate joints/connector required for continuous mounting. Anodised aluminium extruded luminaire housing and acrylic diffuser. Slimmest batten for high end applications. [1200mm (L) x 68mm (W) x 57mm (H)].

LED TRUNKING SYSTEM - 5 WIRE



Viva trunking system				
112256	BLTRU 40W NW Viva TMV	40W LED	4	5000
112258	BLTRU 40W WH Viva TMV	40W LED	4	5000

Accessories like suspension, end caps and bottom cover to be ordered separately as required; option available in 8 wire as well.



Unit Price ₹				
220272	BLTRU 45 MS W/O Suspension	2.4 mtr trunk suitable for Viva TMV	4	1750



220263	BFTSS 60 end cap	-	-	-
220264	BFTSS/D 1.5m - Suspension	-	-	-
953381	BFTSS 60-300 (300mm bottom cover)	-	-	-
953377	BFTSS 60-600 (600mm bottom cover)	-	-	-
953378	BFTSS 60-900 (900mm bottom cover)	-	-	-
953379	BFTSS 60-1200 (1200mm bottom cover)	-	-	-

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	STANDARD PACKING	RSP ₹
-----------------------	---------------------	------------------	-------

LED TRUNKING SYSTEM - 7 WIRE




NEO trunking system				
112249	BLTRU 40W WH NTS	40W LED	4	5000
112251	BLTRU 40W WW NTS	40W LED	4	5000
112250	BLTRU 40W NW NTS	40W LED	4	5000

Accessories like suspension, end caps and joints to be ordered separately.



112252	BLTRU NTS 7 wire 1200mm joint	-	-	-
112253	BLTRU NTS 7 wire 900mm joint	-	-	-
112254	BLTRU NTS 7 wire 600mm joint	-	-	-
112255	BLTRU NTS 7 wire 300mm joint	-	-	-
220289	BFTSS Suspension 2 mts	-	-	-
953513	BLTRU NTS End Cap	-	-	-

Industrial LED Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	------------------	-------



LED canopy mediumbay luminaire

111747	BGPPN 80W LED	1	15000
LED canopy is an innovative, robust and energy efficient solution to efficiently illuminate petrolum canopies.			



LED canopy mediumbay luminaire

169757	BGPPR 80W LED	1	On Request
An innovative idea to efficiently illuminate petrolum canopies.			



'Verdant' LED wellglass luminaire

169552	BIWICP 35W LED	1	6700
169600	BIWIDP 42W LED	1	7300
Energy efficeint, reliable and environmnt friendly LED based wellglass luminaire. Direct replacement of 70W HPSV wellglass luminaire having potential of saving energy > 65%.			



ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	------------------	-------



'Futurabay' LED highbay luminaire

188598	BGHB 80W LED	1	15300
188605	BGHB 100W LED	1	15500
188615	BGHB 150W LED	1	19500

Futurabay is compact, asthetic, relaible and energy efficient lighting solution in order to meet the critical requirements demanded by various industrial applications. upto 65%. The luminaire has potential of saving energy.



'Duranto' LED highbay luminiare

169753	BGHB 80W LED G IV	1	16900
169719	BGHB 90W LED G IV	1	18000
169710	BGHB 100W LED G IV	1	19000
169709	BGHB 150W LED G IV	1	22000
On Request	BGHB 200W LED GIV	1	29500

DURANTO utilises innovative heat sink and cutting edge LED technology to suit various industrial applications.



Linea LED

169601	BICDP 40W LED	-	5200
--------	---------------	---	------

Innovative and compact structure of this luminaire provides customer better experience of general purpose lighting application. An alternative solution for 2x28W/2x36W fluorescent channel. This luminaire is having potential of saving energy upto 70%.



Linea LED prime

169602	BICDPE 40W LED	-	6050
--------	----------------	---	------

Reliable, robust and special purpose lighting solution suitable for various applications. Used as an direct replacement of twin fluorescent channel.



Linea excel

169683	BIPC 40W LED	1	5300
--------	--------------	---	------

Durable lighting solution for challenging atmosphere. A perfect solution for places where FIT & FORGET"" luminaires are required.


ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	RSP ₹
 WEE PLUS			
112334	BIBWP 10W LED	8	1750
Bringing creative, insight and knowledge together to provide best and future proof upgraded lighting solution as an ideal alternative to CFL/incandacent bulkhead luminaire.			
 Trendy LED			
169784	BTBHX 100W LED	1	11000



ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	RSP ₹
 PRISTINE - Recess LED cleanroom luminaire				
539404	BPRF 20W WH SL LED	1X20W LED	1	5400
111171	BPRF 36W WH SL LED	1X36W LED	1	9050
539379	BPRF 45W WH LED	1X45W LED	1	10100
539348	BPRF 60W WH LED	1X60W LED	1	12200
539349	BPRF 80W WH LED	1X80W LED	1	15200
539378	BPSF 45W WH LED	1X45W LED	1	10100
539377	BPSF 60W WH LED	1X60W LED	1	19800
On Request	BPRR 36W WH LED	1X36W LED	1	10000
On Request	BPRR 45W WH LED	1X45W LED	1	11000
On Request	BPRR 60W WH LED	1X60W LED	1	13000
On Request	BPRR 80W WH LED	1X80W LED	1	16000



Roadway LED Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	------------------	-------



'CUB' LED street light			
169627	BCLST 15W LED	8	3500
169628	BCLST 20W LED	8	3800
169475	BCLST 25W LED	8	4450
169785	BCLST 30W LED	8	4600

Pressure die cast housing with epoxy power coated dark graphite grey colour finish. Prismatic polycarbonate cover with individual LED lenses.



EDGE Series of LED street lighting			
169699	BRTFG 30W LED	1	7500
169681	BRTFG 45W LED	1	8000
169680	BRTFG 60W LED	1	10500
169761	BRTFG 65W LED I	1	10500
169698	BRTFG 72W LED I	1	10800
169557	BRTFG 90W LED	1	13500
169553	BRTFG 120W LED	1	16000
169649	BRTFG 135W LED	1	17500
169695	BRTFG 140W LED	1	18000
169544	BELST 210W LED	1	36000

Pressure die cast aluminium housing LED street light luminaires with IP66 deg. of protection.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	------------------	-------



EDGE Plus Series of LED street lighting			
169706	BRLEP 15W LED	1	2400
169707	BRLEP 20W LED	1	3000
169708	BRLEP 25W LED	1	3600
169703	BRLEP 45W LED	1	7800
169704	BRLEP 60W LED	1	10000
169705	BRLEP 90W LED	1	13500

Pressure die cast aluminium housing LED street light luminaires with IP66 deg of protection.




Street Light Management System using RF/GPRS/GSM

To control LED street lighting depending on traffic flow, communicate data between each street light using Radiocraft RF Transceiver Module. The computer based control station from which the entire area can be monitored & controlled using GPRS/GSM wireless communication. To control light on/off, individual dimming, group dimming, and some environment condition by just sending a simple com mand from the PC/Laptop/Server or your Tab late.

The control system GUI can designed as per customer requirement.

Interoperable Network :




Features :

- WIRELESS TECHNOLOGY** : Employs latest RF/GPRS/GSM technology
- DIMMING OF LIGHTS** : Can be programmed to dim the street lights at to program and control remote streetlights. late night to reduce energy consumption.
- MONITOR** : Equipped with commnication and energy monitoring
- BURNING HOURS** : Can be computed with good certainty and modules to update the Master Control Station (MCS) maintenance/replacement can be planned accordingly.
- CONTROL** : Can be switched on or off based on selected group of light
- FLEXIBLE FOR EXPANSION** : The system can easily be expanded to any poles. new area or to remote distance.



Area LED Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	------------------	-------



'MAGMUN' LED floodlight

169427	BJFL 30W LED	2	4300
169428	BJFL 60W LED	1	9000

LED floodlight luminaire with high pressure die cast housing with IP66 deg of protection.



Turbo LED' floodlight series

169640	BARFEG 80W LED	1	18000
169657	BARFEG 100W LED	1	26000
169641	BARFEG 120W LED	1	27000
169642	BARFEG 160W LED	1	31000
169658	BARFEG 180W LED	1	39000
169783	BARFEG 200W LED	1	40000
On Request	BARFEG 240W LED	1	On request

LED Floodlight luminaire with secondary optics made in pressure die cast housing and heat sink in aluminium extrusion.




LED aviation light luminaires

110731	BGAV 302 LED	4	4800
--------	--------------	---	------

Integral LED aviation light comprising of aluminium housing with polycarbonate enclosure, 302 nos. LED are provided.



Landscape LED Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	-----------	------------------	-------

LED BUSH AND SPIKE



LED bush and spike light luminaires				
112146	BGSBL 9W LED WW	Warm white	4	3800

LED BOLLARDS



FLUTE				
111282	BGBOL 605 9W LED	9W LED	1	5000
Cylindrical shape, integral decorative LED bollard with opal acrylic with IP65 protection.				

TULIP				
111284	BGBOM 650 9W LED	9W LED	4	5200
Integral decorative LED bollard with opal acrylic with IP65 Protection				



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	-----------	------------------	-------



TETRIS				
111771	BGBOS 600 9W LED	9W LED	1	6000
Square shape, integral decorative LED bollard with opal acrylic with IP65 protection				



MUSHRUMZ				
111740	BLBMC 9W WW LED	9W LED	1	5000
Mushroom Shape Integral decorative LED bollard with IP65 protection				

LED WALL LIGHTS



LED wall mounted decorative luminaires with OPAL polycarbonate diffuser and IP65 protection				
111737	BLWCO 20W LED	20W LED	4	5200



LED wall mounted decorative luminaires with OPAL polycarbonate diffuser and IP65 protection				
111738	BLWOO 10W LED	10W LED	1	3100
111739	BLWOV 10W LED	10W LED	4	3100

LED POST TOPS



FLORENCE				
112362	BGCP 45W LED WW	45W LED	1	25500
LED post top made in cast aluminium spigot housing with PC diffuser and IP65 protection				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	-----------	------------------	-------



COSMOS

111536	BGCS 40W LED	40W LED	1	9200
111537	BGCS 70W LED	70W LED	1	12500

LED post top made in cast aluminium spigot housing with decorative opal acrylic diffuser and IP65 protection



CELESTA

111538	BGCL 40W LED	40W LED	1	9900
111539	BGCL 70W LED	70W LED	1	12800

LED post top made in cast aluminium spigot housing with decorative opal acrylic diffuser and IP65 protection



ARIAN

112364	BGCT W4 LED	40W LED	1	12500
--------	-------------	---------	---	-------

LED post top made in cast aluminium spigot housing with decorative clear acrylic diffuser and IP65 protection



LED POST POST

111713	BRIL 45W LED NW	45W LED	1	15800
--------	-----------------	---------	---	-------

Die cast aluminium body and with white powder coated aluminium reflector and IP65 protection



LED POST POST

111741	BLPTSP 25W NW LED	25W LED	1	5200
--------	-------------------	---------	---	------

Integral pole mounted decorative LED post top with IP65 protection



LED POST POST

111742	BLWSP 25W NW LED	25W LED	1	5950
--------	------------------	---------	---	------

Integral pole mounted decorative LED post top with IP65 protection

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	RSP ₹
-----------------------	----------------	-----------	------------------	-------










LED STEP LIGHT

111711	BLSGV 4W WH LED	4W LED	6	2150
--------	-----------------	--------	---	------

White powder coated cast aluminium body with IP54 protection






CONVENTIONAL LUMINAIRES 10-24

Commercial Conventional Lighting	10-11
office lighting	11
retail lighting	12
Industrial Conventional Lighting	13-14
industrial lighting	14
hazardous lighting	15
cleanroom lighting	16
Roadway Conventional Lighting	17-18
Area Conventional Lighting	19-20
Urban Architecture Conventional Lighting	21-22
Induction Conventional Lighting	23-24

Commercial Conventional Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounted T5 decorative luminaire with acrylic diffuser				
538563	BPOARM 414	4x14W T5	2	12000
538802	BPOARM 424 LHD	4x24W T5	2	12900
Powder coated CRCA sheet steel housing with extruded aluminium frame, out bended acrylic and mirror in center.				



Recess mounted indirect decorative luminaire with acrylic diffuser				
538880	BTTI 414 LHD	4x14W T5	2	5600
538676	BTTI 314 LHD	3x14W T5	2	5300
538859	BCTI 236 CFL	2x36W 'L' Type CFL	2	5100
Powder coated CRCA sheet steel housing with high efficiency translucent acrylic in center.				



Recess mounted direct indirect decorative luminaire				
539216	BNXT 314 AC	3x14W T5	2	4600
539051	BNXT 414 AC	4x14W T5	2	4600
539052	BNXT 414 P5	4x14W T5	2	4800
539053	BNXT 414 PF	4x14W T5	2	4400



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'XOACR' Recess mounting 4x14 T5 florescent lamp luminaire				
539096	BTMRA 414 XOACR	4x14W T5	2	5990
539418	BTMRA 228 XOACR	2x28W T5	2	5990
539419	BTMRA 254 XOACR	2x54W T5	2	6400
Recess mounting luminaire suitable for T5 lamps with acrylic cover in power coated extruded aluminium frame.				




Recess mounted darklite T5 luminaire				
538683	BTMRA 414 V2	4x14W T5	2	5300
539114	BTMRA 424 V2	4x24W T5	2	6250
538684	BTMRA 314 V2	3x14W T5	2	5100
538833	BTMRA 228 V2	2x28W T5	4	5300
Powder coated CRCA sheet steel housing with low depth darklite mirror louver.				



Recess mounted darklite T5 luminaire				
539416	BTMRA 414 V2 WH	4x14W T5	2	5300
539417	BTMRA 424 V2 WH	4x24W T5	2	6250
White powder Coated CRCA sheet steel housing with low depth darklite mirror louver.				

.nxt CONNECT



CONNECT- Suspension/surface mounting luminaire				
539101	BPTX 128 N	1x28W T5	1	9900
539103	BPTX 2.3 X 228 N	2x28W T5	1	18250
539104	BPTX 2.3X 254 N	2x54W T5	1	18700
539130	BPTX 154 N	1x54W T5	1	10600
539141	BPTX 114 N	1x14W T5	1	6700
111914	BPTX 124 N	1x24W T5	1	6700
111921	BPTX 114 CS/E	1x14W T5	1	6700
111922	BPTX 124 CS/E	1x24W T5	1	6900
111915	BPTX 128 CS/E	1x28W T5	1	9900
111916	BPTX 128 CM	1x28W T5	1	9900
111917	BPTX 2.3 X 228 CM	2x28W T5	1	18250
111918	BPTX 154 CS/E	1x54W T5	1	10600
111919	BPTX 154 CM	1x54W T5	1	10600
111920	BPTX 2.3 x 254 CM	2x54W T5	1	18700
High quality extruded aluminium housing designed for surface/suspended mounting with white extruded acylic.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



CONNECT- recess mounting luminaire

111931	BRTX 114 N	1x14W T5	1	5350
539360	BRTX 124 N	1x24W T5	1	5350
539234	BRTX 128 N	1x28W T5	1	7590
539236	BRTX 154 N	1x54W T5	1	8590
539237	BRTX 2.3 x 228 N	2x28W T5	1	11000
539238	BRTX 2.3 x 254 N	2x54W T5	1	11500
111923	BRTX 114 CS/E	1x14W T5	1	5250
111924	BRTX 124 CS/E	1x24W T5	1	5350
111927	BRTX 128 CS/E	1x28W T5	1	7590
111929	BRTX 128 CM	1x28W T5	1	7590
111925	BRTX 2.3x228 CM	2x28W T5	1	11000
111928	BRTX 154 CS/E	1x54W T5	1	8590
111930	BRTX 154 CM	1x54W T5	1	8590
111926	BRTX 2.3x254 CM	2x54W T5	1	11500



LUMINA - sleek suspended updownlighter luminaire

538534	BLAUL 236 MSS WEB2	2x36W FTL	2	4650
531143	BLAUL 228 MSS LHD	2x28W T5	2	4975
531144	BLAUL 254 MSS LHD	2x54W T5	2	5575

White powder coated updown lighting luminaires, having rectangular perforation on both side with acrylic at centre, adding to design elements.



Hospital bed head light

539288	BJHL 118/136 CFL/GLS	18W, 36W CFL & GLS	1	5625
--------	----------------------	--------------------	---	------

Multipurpose bed head light made of powder coated CRCA sheet & acrylic. LED version available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

WORKSPACE LIGHTING - RECESSED



Recess mounting CFL low glare luminaires with paralite P5 louvres

530736	BMLA 01 218 CFL D W2EB	2x18W 'D' type CFL	4	2260
530077	BMLA 01 236 CFL WEB2	2x36W 'L' type CFL	2	4120
530737	BMLA 01 336 CFL W2EB	3x36W 'L' type CFL	2	4750
530930	BMLA 01 414 LHD	4x14W T5	2	5700
538926	BMLA 101 236 CFL WEB2	2x36W 'L' type CFL	2	3625

Powder coated CRCA sheet steel housing with square paralite P5 louver block in a perforated metallic frame.

Note: 40W/55W CFL luminaire available on request, with HF ballast only.



'PARA - COMFORT' Recess mounted direct/indirect luminaire with coloured wings

530322	BCPA 236 CFL TD WEB2	2x36W 'L' type CFL	2	5450
530738	BCPA 236 CFL TD Green WEB2	2x36W 'L' type CFL	2	5450
530739	BCPA 236 CFL TD Blue WEB2	2x36W 'L' type CFL	2	5450
530740	BCPA 236 CFL TD Orange WEB2	2x36W 'L' type CFL	2	5450

Powder coated CRCA housing with mirror optics louver, decorative sans and aluminium reflector for Indirect/Direct lighting. Decorative wings available in Clear, Green, Blue and Orange colour.



'PARA - COMFORT' Recess mounted direct/indirect luminaire with coloured wings

538478	BCNPA 236 CFL P5 WEB2	2x36W 'L' type CFL	2	5150
539150	BCNPA 236 CFL SR WEB2	2x36W 'L' type CFL	2	4250
539181	BCNPA 236 CFL WEB2 SR Green	2x36W 'L' type CFL	2	4250
539182	BCNPA 236 CFL WEB2 SR Blue	2x36W 'L' type CFL	2	4250
539183	BCNPA 236 CFL WEB2 SR Orange	2x36W 'L' type CFL	2	4250

Powder coated CRCA housing with mirror optics louver and decorative sans for Indirect/Direct lighting. Decorative wings available in Clear, Green, Blue and Orange colour.



"PARA - COMFORT" Recess mounted direct/indirect luminaire with coloured wings

539258	BCPA 236 CFL WEB2 OACR	2x36W 'L' type CFL	2	4100
--------	------------------------	--------------------	---	------

Powder coated CRCA housing with acrylic and decorative sans for indirect/direct lighting decorative wings available in clear only.



'COMFORTLITE Series' direct/indirect luminaire

538920	BCLA 236 CFL WEB2	2x36W 'L' type CFL	2	3260
--------	-------------------	--------------------	---	------

Powder coated CRCA sheet steel housing with concave cover of honeycomb type perforations.

Note: 40W/55W CFL luminaire available on request with HF ballast only.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'COMFORTLITE Series' direct/indirect luminaire

530897	BCLA 01 236 CFL LHD	2x36W 'L' type CFL	2	4025
538924	BCLA 101 236 CFL WEB2	2x36W 'L' type CFL	2	3500
538690	BCLA 101 236 CFL LHD	2x36W 'L' type CFL	2	3975

Powder coated CRCA sheet steel housing concave cover fitted with P5 louver.

Note: 40W/55W CFL luminaire available on request with HF ballast only.



Recess mounted T5 mirror optics luminaires

161912	BTMRA 414 MS	4x14W T5	4	5430
160904	BTMRA 314 MS	3x14W T5	4	5310
538999	BTMRA 414 MS G	4x14W T5	4	4100
162464	BTMRA 424 MS	4x24W T5	4	5750

CRCA sheet steel corrosion resistant finish with semi specular aluminium reflector.

Note: All 14W/28W T5 mirror optics are also available with 24W/54W T5 HO lamps on request respectively.



Recess mounting T5 lamp cat II dark lighter mirror optics luminaires

160429	BTMRA 414 CAT II	4x14W T5	4	6050
162455	BTMRA 314 CAT II	3x14W T5	4	6000
531366	BTMRA 424 CAT II	4x24W T5	4	6200
160427	BTMRA 228 CAT II	2x28W T5	4	5160

Epoxy powder coated CRCA sheet steel housing having low glare cat II optics using 3D louver.

Note: All above mentioned T5 luminaires of 14W are available with 24W HO T5 Lamp, on request. Similarly, all above mentioned T5 Luminaires of 28 W with 54W HO T5 lamp, on request (Ex. BTMRA 254 CAT II/BTMRA 324/424 CAT II)



'TWILITE' - direct/indirect luminaire with square perforated shield

531145	BLTER 2/414 MO LHD	4x14W T5	2	5500
--------	--------------------	----------	---	------

White powder coated CRCA steel sheet housing with 3D CAT II optics in centre and opal acrylic diffuser as side panel.



Recess mounting FTL luminaires for Armstrong ceiling

530030	BJMMA 02 236 WEB2	2x36/40W FTL	2	4250
531111	BJMMA 02 418 WEB4	4x18W FTL	4	3875

White powder coated CRCA sheet steel housing with aluminium mirror reflector.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounting darklighter FTL luminaires for Luxalon and POP ceiling

531584	BJDL 236/240 WEB2	2x36/40W FTL	2	4160
530749	BJDL 418/420 WEB4	4x18/20W FTL	2	4775

White powder coated CRCA sheet steel housing with aluminium mirror reflector with low glare optics.



FTL luminaires for Armstrong ceiling - cat II darklighters

538438	BJDLA 02 236/240 WEB2	2x36/40W FTL	2	4550
530751	BJDLA 02 418/420 WEB4	4x18/20W FTL	2	4850

White powder coated CRCA sheet steel housing with aluminium cat II mirror reflector.



Recess mounting CFL luminaires

530150	BMMR 236 CFL WEB2	2x36W 'L' type CFL	4	2850
530765	BMMR 336 CFL W2EB	3x36W 'L' type CFL	4	4250

White powder coated CRCA sheet steel housing with pre-anodised aluminium parabolic reflector and serrated matt anodised aluminium extruded baffles.



Recess mounting CFL luminaires

531083	BMR 211 CFL W2EB	2x11W 'S' type CFL	8	1350
531151	BMR 218 CFL WEBS	2x18W 'L' type CFL	8	1375

White powder coated CRCA sheet steel housing with pre-anodised aluminium parabolic mirror reflector and swing out mounting clamp.



Recess mounted T5 mirror optics luminaires

530603	BTMR 128	1x28W T5 Lamp	2	2480
530713	BTLM 228	2x28W T5 Lamp	4	3475
539244	BTLM 214	2x14W T5 Lamp	2	2350

White powder coated CRCA sheet steel housing with matt finish mirror reflector. BTLM 224 and BTLM 254 available on request.



Recess mounted T5 mirror optics luminaires

160426	BTMRA 228	2x28W T5 Lamp	4	4150
--------	-----------	---------------	---	------

CRCA sheet steel corrosion resistant finish with semi specular aluminium reflector. BTMRA 254 available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounted T5 mirror optics luminaires

530714	BTDL 228	2x28W T5	4	3375
--------	----------	----------	---	------

White powder coated CRCA sheet housing with specular reflector, having low glare darklighter optics. BTDL 254 and BTDL 424 available on request.



Recess mounting 3D lamelle technology luminaires

530746	BLMRA 236 TD WEB2	2x36W FTL	2	5350
530745	BLMRA 418 TD WEB4	4x18W FTL	2	6000

White powder coated CRCA sheet steel housing having low glare cat II optics using 3D louver.



Recess mounting FTL mirror optics luminaires

530007	BMMR 136/140 WEB1	1x36/40W FTL	4	2250
530008	BMMR 236/240 WEB2	2x36/40W FTL	4	3200
530649	BMMR 236/240 DL WEB2	2x36/40W FTL	4	3310

White powder coated CRCA sheet steel housing with aluminium mirror reflector.

Note: Suffix DL in cat ref. indicates low glare optics.



Recess mounting FTL luminaires for Luxalon and POP ceiling

531563	BJLM 136/140 WEB1	1x36/40W FTL	4	2460
531574	BJLM 236/240 WEB2	2x36/40W FTL	4	3800
530156	BLM 236/240 WEB2	2x36/40W FTL	4	3000

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Recess mounting extruded aluminium housing CFL mirror optics luminaires

531129	BARM 136 CFL WEB1	1x36W 'L' type CFL	4	3200
530668	BARM 236 CFL WEB2	2x36W 'L' type CFL	4	4425

Superior finish extruded aluminium body with anodised aluminium reflector and aluminium cross louver assembly.

WORKSPACE LIGHTING - SURFACE



Surface mounting CFL low glare luminaires with paralite P5 louvres

538735	BSMLA 01 218 WEBS	2x18W 'L' type CFL	4	2725
530718	BSMLA 01 236 CFL WEB2	2x36W 'L' type CFL	2	4200
531017	BSMLA 01 336 CFL W2EB	3x36W 'L' type CFL	2	4750
531057	BSMLA 01 414 LHD	4x14W T5	2	4900

White powder coated CRCA sheet steel housing with square paralite P5 louver block, crescent light opening in a perforated metallic frame. Note: 55W CFL luminaire available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface mounting CFL low glare luminaires with acrylic

539367	BSMLA 01 236 CFL WEB2 OACR	2x36W 'L' type CFL	2	4550
--------	----------------------------	--------------------	---	------

White powder coated CRCA sheet steel housing with square paralite P5 louver block, crescent light opening in a perforated metallic frame. Note: 55W CFL luminaire available on request.



Surface mounting CFL luminaires

530480	BMMS 236 CFL WEB2	2x36W 'L' type CFL	4	3000
530757	BMMS 336 CFL W2EB	3x36W 'L' type CFL	4	4150

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Surface mounting extruded aluminium housing CFL mirror optics luminaires

530188	BASM 236 CFL WEB2	2x36W 'L' type CFL	4	4425
531148	BASM 218 CFL WEBS	2x18W 'L' type CFL	4	3825

Superior finish extruded aluminium body with anodised aluminium reflector and aluminium cross louver assembly.



Surface type

531141	BSM 211 CFL W2EB	2x11W 'S' type CFL	8	1400
531142	BSM 218 CFL WEBS	2x18W 'L' type CFL	8	1400

White powder coated CRCA sheet steel housing with aluminium anodised reflector and powder coated baffles.



Surface mounting CFL luminaires

530330	BJSM 211 W2EB	2x11W'S' type CFL	8	1775
530755	BJSM 218 D W2EB	2x18W 'L' type CFL	8	1775
531156	BJSM 218 CFL DL WEBS	2x18W 'L' type CFL	8	2100

White powder coated CRCA sheet steel housing with aluminium mirror reflector.


WORKSPACE LIGHTING - SURFACE/PENDANT



Surface/pendent mounting extruded aluminium housing T5/T8 lamp mirror optics luminaires

160709	BTSMU 228 MSS	2x28W T5 Lamp	4	5450
530763	BTSMU 236 MSS W2EB	2x36W FTL Lamp	4	5800

Surface/ Pendent mounting extruded aluminium housing with decorative end caps and mirror optic reflector with electronic ballast.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹															
 Surface/pendent mounting extruded aluminium housing T5 lamp mirror optics luminaire <table> <tr> <td>160763</td><td>BTSM 128</td><td>1x28W T5 Lamp</td><td>4</td><td>5050</td></tr> <tr> <td>160496</td><td>BTSM 228</td><td>2x28W T5 Lamp</td><td>4</td><td>5400</td></tr> <tr> <td>160495</td><td>BTSM 214</td><td>2x14W T5 Lamp</td><td>4</td><td>3600</td></tr> </table> Surface/ Pendent mounting extruded aluminium housing with decorative end caps and mirror optic reflector with electronic ballast.					160763	BTSM 128	1x28W T5 Lamp	4	5050	160496	BTSM 228	2x28W T5 Lamp	4	5400	160495	BTSM 214	2x14W T5 Lamp	4	3600
160763	BTSM 128	1x28W T5 Lamp	4	5050															
160496	BTSM 228	2x28W T5 Lamp	4	5400															
160495	BTSM 214	2x14W T5 Lamp	4	3600															
 Surface/pendent mounted T5 luminaire <table> <tr> <td>531018</td><td>BTSM 02 214</td><td>2x14WT5</td><td>4</td><td>3600</td></tr> <tr> <td>160514</td><td>BTSM 02 228</td><td>2x28W T5</td><td>4</td><td>3700</td></tr> </table> White powder coated CRCA housing with plastic end caps, mirror optic reflector and electronic ballast.					531018	BTSM 02 214	2x14WT5	4	3600	160514	BTSM 02 228	2x28W T5	4	3700					
531018	BTSM 02 214	2x14WT5	4	3600															
160514	BTSM 02 228	2x28W T5	4	3700															
 Surface/pendent mounted T5 luminaire <table> <tr> <td>539241</td><td>BTSM 02 214 V2</td><td>2x14W T5</td><td>4</td><td>3500</td></tr> <tr> <td>538640</td><td>BTSM 02 228 V2</td><td>2x28W T5</td><td>4</td><td>4810</td></tr> <tr> <td>539082</td><td>BTSM 02 254 V2</td><td>2x54W T5</td><td>4</td><td>5400</td></tr> </table> Compact and slim CRCA housing with Bajaj V2 version louvers, end caps, reflector and electronic ballast.					539241	BTSM 02 214 V2	2x14W T5	4	3500	538640	BTSM 02 228 V2	2x28W T5	4	4810	539082	BTSM 02 254 V2	2x54W T5	4	5400
539241	BTSM 02 214 V2	2x14W T5	4	3500															
538640	BTSM 02 228 V2	2x28W T5	4	4810															
539082	BTSM 02 254 V2	2x54W T5	4	5400															
 'SIMPLE' Surface/pendent mounted T5 luminaire <table> <tr> <td>539231</td><td>BTSM 2/228</td><td>2x28W T5</td><td>4</td><td>2950</td></tr> <tr> <td>539016</td><td>BTSM 2/128</td><td>2x28W T5</td><td>4</td><td>2900</td></tr> </table> White powder coated CRCA housing with decorative end caps, mirror optic reflector and electronic ballast.					539231	BTSM 2/228	2x28W T5	4	2950	539016	BTSM 2/128	2x28W T5	4	2900					
539231	BTSM 2/228	2x28W T5	4	2950															
539016	BTSM 2/128	2x28W T5	4	2900															
 'PETAL' Surface/pendent mounted T5 luminaire <table> <tr> <td>539273</td><td>Petal 228</td><td>2x28W T5</td><td>4</td><td>3150</td></tr> </table> Unique petal shaped white powder coated CRCA housing with mirror optic reflector and electronic ballast.					539273	Petal 228	2x28W T5	4	3150										
539273	Petal 228	2x28W T5	4	3150															
 Surface/pendent mounted T5 luminaire <table> <tr> <td>530677</td><td>BJSM 01 128</td><td>1x28W T5</td><td>4</td><td>2550</td></tr> </table> White powder coated CRCA housing with mirror optic reflector with electronic ballast.					530677	BJSM 01 128	1x28W T5	4	2550										
530677	BJSM 01 128	1x28W T5	4	2550															

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹																														
 Surface mounting luminaire <table> <tr> <td>530131</td><td>BJSM 02 236 WEB2</td><td>2x36W FTL</td><td>4</td><td>3375</td></tr> </table> White powder coated CRCA sheet steel housing with aluminium mirror reflector and decorative end plates.					530131	BJSM 02 236 WEB2	2x36W FTL	4	3375																									
530131	BJSM 02 236 WEB2	2x36W FTL	4	3375																														
 Surface mounting luminaire <table> <tr> <td>530764</td><td>BSM 136/140 WEB1</td><td>1x36/40W FTL</td><td>4</td><td>2350</td></tr> <tr> <td>530005</td><td>BSM 236/240 WEB2</td><td>2x36/40W FTL</td><td>4</td><td>3300</td></tr> <tr> <td>538458</td><td>BSM 2/136 WEB2</td><td>2x36/40W FTL</td><td>4</td><td>2900</td></tr> </table> White powder coated CRCA sheet steel housing with aluminium mirror reflector.					530764	BSM 136/140 WEB1	1x36/40W FTL	4	2350	530005	BSM 236/240 WEB2	2x36/40W FTL	4	3300	538458	BSM 2/136 WEB2	2x36/40W FTL	4	2900															
530764	BSM 136/140 WEB1	1x36/40W FTL	4	2350																														
530005	BSM 236/240 WEB2	2x36/40W FTL	4	3300																														
538458	BSM 2/136 WEB2	2x36/40W FTL	4	2900																														
 Surface mounting cat II darklight FTL luminaire <table> <tr> <td>531325</td><td>BJSDL 02 236 CAT II WEB</td><td>2x36W FTL</td><td>2</td><td>5250</td></tr> </table> White powder coated CRCA sheet steel housing with aluminium CAT II darklight mirror reflector.					531325	BJSDL 02 236 CAT II WEB	2x36W FTL	2	5250																									
531325	BJSDL 02 236 CAT II WEB	2x36W FTL	2	5250																														
 Surface/recess mounting FTL luminaire <table> <tr> <td>538905</td><td>BJCM 236 WEB2</td><td>2x36W FTL</td><td>2</td><td>3100</td></tr> <tr> <td>538732</td><td>BJEM 236 WEB2</td><td>2x36W FTL</td><td>2</td><td>3200</td></tr> </table> White powder coated CRCA sheet steel housing with aluminium mirror reflector.					538905	BJCM 236 WEB2	2x36W FTL	2	3100	538732	BJEM 236 WEB2	2x36W FTL	2	3200																				
538905	BJCM 236 WEB2	2x36W FTL	2	3100																														
538732	BJEM 236 WEB2	2x36W FTL	2	3200																														
 Surface mounting CFL luminaire <table> <tr> <td>530823</td><td>BJC 111 WEB1</td><td>1x11W 'S' type CFL</td><td>8</td><td>770</td></tr> </table> White powder coated CRCA sheet steel housing with opal acrylic diffuser and decorative end plates. Plastic housing wired with ballast. Available with electroic gear only.					530823	BJC 111 WEB1	1x11W 'S' type CFL	8	770																									
530823	BJC 111 WEB1	1x11W 'S' type CFL	8	770																														
 Surface mounting CFL luminaire <table> <tr> <td>169488</td><td>BJLF1 15W RF</td><td>15W Retrofit CFL</td><td>12</td><td>on request</td></tr> <tr> <td>169489</td><td>BJLF2 15W RF</td><td>15W Retrofit CFL</td><td>6</td><td>on request</td></tr> <tr> <td>169490</td><td>BJLF3 11W RF</td><td>11W Retrofit CFL</td><td>16</td><td>on request</td></tr> </table> White powder coated CRCA sheet steel housing.					169488	BJLF1 15W RF	15W Retrofit CFL	12	on request	169489	BJLF2 15W RF	15W Retrofit CFL	6	on request	169490	BJLF3 11W RF	11W Retrofit CFL	16	on request															
169488	BJLF1 15W RF	15W Retrofit CFL	12	on request																														
169489	BJLF2 15W RF	15W Retrofit CFL	6	on request																														
169490	BJLF3 11W RF	11W Retrofit CFL	16	on request																														
 Surface mounting CFL luminaire <table> <tr> <td>160599</td><td>BSP 111</td><td>1x11W 'S' type CFL</td><td>8</td><td>1275</td></tr> <tr> <td>160601</td><td>BSP 118 CFL</td><td>1x18W 'L' type CFL</td><td>4</td><td>1300</td></tr> <tr> <td>160600</td><td>BSP 211</td><td>2x11W 'S' type CFL</td><td>8</td><td>1900</td></tr> <tr> <td>160602</td><td>BSP 218 CFL</td><td>2x18W 'L' type CFL</td><td>4</td><td>1900</td></tr> <tr> <td>160603</td><td>BSP 136 CFL</td><td>1x36W 'L' type CFL</td><td>4</td><td>1650</td></tr> <tr> <td>160604</td><td>BSP 236 CFL</td><td>2x36W 'L' type CFL</td><td>4</td><td>2700</td></tr> </table> White powder coated CRCA sheet steel housing with opal acrylic diffuser and decorative end plates. Available with electronic gear only.					160599	BSP 111	1x11W 'S' type CFL	8	1275	160601	BSP 118 CFL	1x18W 'L' type CFL	4	1300	160600	BSP 211	2x11W 'S' type CFL	8	1900	160602	BSP 218 CFL	2x18W 'L' type CFL	4	1900	160603	BSP 136 CFL	1x36W 'L' type CFL	4	1650	160604	BSP 236 CFL	2x36W 'L' type CFL	4	2700
160599	BSP 111	1x11W 'S' type CFL	8	1275																														
160601	BSP 118 CFL	1x18W 'L' type CFL	4	1300																														
160600	BSP 211	2x11W 'S' type CFL	8	1900																														
160602	BSP 218 CFL	2x18W 'L' type CFL	4	1900																														
160603	BSP 136 CFL	1x36W 'L' type CFL	4	1650																														
160604	BSP 236 CFL	2x36W 'L' type CFL	4	2700																														

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
Kornera series				
160547	BCRL 111 CFL	1x11W 'S' type CFL	8	1125
160548	BCRL 211	2x11W 'S' type CFL	4	1900
160542	BCRL 218 CFL	2x18W 'L' type CFL	4	1900
160543	BCRL 136 CFL	1x36W 'L' type CFL	4	1650
White powder coated CRCA sheet steel housing with opal acrylic diffuser and decorative end plates. Available with electronic gear only.				

WORKSPACE LIGHTING - RAILS

Surface/pendent mounting T5 lamp luminaires PVC body channel with acrylic				
539054	BTIP 128 ACR N	1x28W T5	10	860
538969	BTIP 114 ACR N	1x14W T5	10	625
Plastic extruded housing with in-built electronic control gear, decorative end caps and acrylic cover.				

Surface/pendent mounting T5 lamp luminaires PVC body channel				
539055	BTIP 128 N	1x28W T5 Lamp	10	700
538968	BTIP 114 N	1x14W T5 Lamp	10	550
Plastic extruded housing with in-built electronic control gear with decorative end caps.				

CRCA box type luminaire suitable for surface/pendent mounting				
162004	BJCEB 136/140 LPF	1x36/40W FTL	16	925
530850	BJCEB 136/140 WEB	1x36/40W FTL	16	875
531344	BJCEB 236/240 W2EB	2x36/40W FTL	16	1425
531262	BJCEB 118/120 W2EB	1x18/20W FTL	16	775
538664	BJCEB136 WEBS	1x36W FTL	20	750
CRCA sheet steel housing with white reflector cover fitted to the body. Also available with commercial LPF version in 36W.				

CRCA box type luminaire suitable for surface/pendent mounting Full White Version				
539261	BTER 114	1x14W T5	20	750
539242	BTER 128	1x28W T5	20	825
539399	BTER 228	2x28W T5	20	1400
CRCA sheet steel housing with white reflector cover fitted to the body. Also available with commercial LPF version in 36W.				

CRCA precoated electronic box type luminaires with decorative end caps				
530769	BCIR 136 WEB	1x36/40W FTL	6	975
530988	BCIR 236/240 W2EB	2x36/40W FTL	6	1450
Precoated CRCA sheet steel housing wired with individual commercial HF ballast.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
PROTON - precoated channels with reflector fitted with decorative contoured end caps				
162640	BLPR 128	1x28W T5	12	1550
162641	BLPR 228	2x28W T5	12	1950
538787	BLPR 136	1x36W T8	6	1300
Precoated CRCA sheet steel housing with reflector and decorative end caps T5 channel luminaire. Available in 1x36W, wired with commercial HF ballast.				

Surface mounting FTL luminaires				
531019	BJSRP 136/140 WEB	1x36/40W FTL	6	1375
White powder coated CRCA sheet steel housing with reeded/polystyrene diffuser, wired with commercial ballast.				



Surface mounting FTL luminaires with opal acrylic diffuser					
			Channel	Attachment	
531094	BJP 136/140 WEB	1x36/40W FTL	6	12	1650
530919	BJP 236/240 W2EB	2x36/40W FTL	6	12	2410
538511	BJP 128	1x28W T5	6	12	1900
538495	BJP 228	2x28W T5	6	12	2550
White powder coated CRCA sheet HF ballast. Sheet steel housing with opal acrylic diffuser and decorative end plate, wired with 2 nos. of commercial grade HF ballast.					

Round surface mounting CFL luminaires				
531239	BCSC 218 CFL W2EB	2x18W 'D' type CFL	4	2500
Elegantly designed white epoxy powder coated CRCA housing with opal acrylic cover.				

Surface mounting CFL downlighter (open type)				
531130	BJDS 110/113 C WEB	1x10/13W 'D' type CFL	8	1550
531131	BJDS 118 C WEB	1x18W 'D' type CFL	8	1550
531132	BJDS 210/213 C W2EB	2x10/13W 'D' type CFL	8	1800
531133	BJDS 218 C W2EB	2x18W 'D' type CFL	8	1800
White powder coated CRCA body with satin bright aluminium reflector.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Horizontal downlighters

530804	BJDR 113 H WEB	1x13W 'D' type CFL	8	1100
530631	BJDR 118 H WEB	1x18W 'D' type CFL	8	1100
530805	BJDR 213 H W2EB	2x13W 'D' type CFL	8	1350
530806	BJDR 218 H W2EB	2x18W 'D' type CFL	8	1400
162103	BJDR 226 CFL	2x26W 'D' type CFL	8	2000

White powder coated CRCA ring, aluminium reflector wired with commercial HF ballast for individual lamps.



Matt finish horizontal downlighters

530807	BJDR 118 H MF WEB	1x18W 'D' type CFL	8	1100
530808	BJDR 218 H MF W2EB	2x18W 'D' type CFL	8	1400
538608	BJDR 226 H MF WEB2	2x26W 'D' type CFL	8	2100

White powder coated CRCA ring, matt finish aluminium reflector wired with commercial HF ballast for individual lamps.



Vertical downlighters

160217	BJDR 100W	1x100W GLS	8	600
538536	BJDR 110/113 WEB VI	1x10/13W 'D' type CFL	8	800
538535	BJDR 118 WEB1 VI	1x18W 'D' type CFL	8	800

White powder coated CRCA ring, bright finish aluminium reflector wired with commercial HF ballast for individual lamps.



Super low height (<70 mm) matt - satin bright finish downlighters

538456	BJDR118 SLH WEB	1x18W CFL	8	1275
531066	BJDR 218 SLH W2EB	2x18W 'D' type CFL	8	1550

White powder coated CRCA ring, with matt finish aluminium reflector wired with 2 nos. of commercial HF ballast.



Super low height (<70 mm) matt - satin bright finish downlighters

538741	BJDR 118 FR FGLN WEB	1x18W 'D' type CFL	8	1500
538740	BJDR 218 FR FGLN W2EB	2x18W 'D' type CFL	8	1675

White powder coated CRCA ring with spun aluminium reflector, with centre frosted glass in ring frame fixed to the housing.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



"Low depth" horizontal mounted downlighters with frosted glass

531261	BJDR 218 SLH FR FGL W2EB	2x18W 'D' type CFL	8	1725
--------	--------------------------	--------------------	---	------

White powder coated CRCA ring, low depth aluminium reflector & centre frosted glass cover.



Horizontal downlighters with full frosted glass downlighter

530932	BJDR 218 FR FFGL W2EB	2x18W 'D' type CFL	8	1730
--------	-----------------------	--------------------	---	------

White Powder coated CRCA Ring, Aluminium Reflector & FULL Frosted Glass Cover.



Polycarbonate downlighters with centre frosted glass cover

161939	BJDR 65C 218/226 PCR WOB	2x18/26W 'D' type CFL	8	2250
--------	--------------------------	-----------------------	---	------

Add Electronic ballast to the above said luminaire suitable wattage.



Downlighter with turbo louvre attachment

530819	BJDR 70C 226 DL (Turbo) WEB 2	2x26W 'D' type CFL	8	2700
530395	BJDR 70C 232 HFA DL	2x32W 'D' type CFL	8	4400
530296	BJDR 70C 242 HFA DL	2x42W 'D' type CFL	8	4450

White powder coated CRCA ring with plain spun aluminium reflector and radial cross louver (turbo) - darklighter attachment.



Horizontal CFL downlighter with centre frosted glass

162564	BJDR 226 FR FGL	2x26W 'D' type CFL	8	2150
531059	BJDR 226 FR FGL WEB2	2x26W 'D' type CFL	8	2350

Black powder coated CRCA sheet steel housing, and White powder coated front frame with centre frosted glass cover.

retail lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

TRUNKING SYSTEM - 5 WIRE



Flexitron trunking system

220272	BLTRU 45 MS	-	1	1470
220263	BFTSS end Cap	-	1	50
220264	Suspension System for BFTSS 1.5M	-	1	320

White powder coated CRCA trunking system with 5 wire. Trunk, end caps & suspension system to be ordered separately. Available in 2.4mtr length. Connectors also available. Refer 'universal connector and adapter'.



Trunking mounted wall washer & downlight suitable for T5 lamps

530931	BFDAL 228 P	2x28W T5	2	2840
538892	BFWAL 228 P	2x28W T5	2	2840
538826	BFDAL 254 A	2x54W T5	2	3660
538827	BFWAL 254 A	2x54W T5	2	3660

White powder coated CRCA housing with aluminium reflector suitable for mounting on the trunking system.

CDM TRACK SPOTS AND DOWNLIGHT



Track mounted spot light luminaire suitable for ceramic discharge metal halide lamps

220269	BRTL 135/170 CDM-T WOB**	CDM-T 35/70	1	6250
--------	--------------------------	-------------	---	------

Suitable for single phase track mounting only. Powder coated die cast aluminium body; rotatable lamp housing with high purity aluminium reflector; G12 base ceramic discharge metal halide lamp to be used.

**Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Track mounted spot light luminaire suitable for ceramic discharge metal halide lamps

220291	BXTL 135/170 CDM-Tc WOB**	CDM-Tc 35/70	1	6250
--------	---------------------------	--------------	---	------

Suitable for single phase track mounting only. Powder coated die cast aluminium body; rotatable lamp housing with high purity aluminium reflector; G8.5 base ceramic discharge metal halide lamp to be used.

**Suitable electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recessed mounted adjustable downlight suitable for ceramic discharge metal halide lamps

220159	BLDRS 135/170 MT WOB**	CDM-T 1x35/70W	8	2840
220160	BLDRS 235/270 MT WOB**	CDM-T 2x35/70W	6	3760
220161	BLDRS 335/370 MT WOB**	CDM-T 3x35/70W	4	3660
220162	BLDRS 435/470 MT WOB**	CDM-T 4x35/70W	1	6900

White finish front frame with multi swivel lamp carriage and spring loaded clips for easy mounting. G12 base ceramic discharge metal halide lamp to be used.

**Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Recessed mounted adjustable downlight suitable for ceramic discharge metal halide lamps

169143	BXDR 55D NB 35 CDM-Tc**	CDM-Tc 35W	18	4500
169144	BXDR 55D NB 70 CDM-Tc**	CDM-Tc 70W	18	4500

Powder coated die cast housing with glass enclosure & aluminium reflector. Reflector assembly swivels out of ceiling for directing light. G8.5 base ceramic discharge metal halide to be used.

**Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Recessed mounted adjustable downlight suitable for ceramic discharge metal halide lamps

168970	BJDR 70 MH DE NI*	MH DE 1x70W	-	1155
168971	BJDR 150 MH DE NI*	MH DE 1x150W	-	1155

White CRCA ring housing with glass enclosure and aluminium reflector, spring loaded clips for easy mounting. Rx7s base metal halide lamp to be used. **Suitable Electronic control gear BEHS .nxt to be ordered separately.



Recessed mounted low depth downlight suitable for metal halide lamps

168968	BJDRN 70 MH DE NI*	MH DE 1x70W	-	1050
168969	BJDRN 150 MH DE NI*	MH DE 1x150W	-	1050

White CRCA ring housing with glass enclosure and aluminium reflector, spring loaded clips for easy mounting. Rx7s base metal halide lamp to be used. **Suitable Electronic control gear BEHS .nxt to be ordered separately.



Electronic control gear

539122	BEHS 35W .nxt	CDMT 35	20	3400
539123	BEHS 70W .nxt	CDMT 70	20	3400
539291	BEHS 150 .nxt	CDMT 150	20	8500

Use seprate control gear, 539122 - BEHS 35W .nxt for 35W; 539123 - BEHS 70W .nxt for 70W lamp luminaire to be ordered separately with respect to number of lamps.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

MIDBAYS



Suspended prismatic midbay/highbay suitable for metal halide lamps				
BLRI 70 MH				
162618	BLRI 70 MH Housing	MH SE 70W	4	5760
169588	PC Refractor 12"			3150
169589	PC Refractor Cover 12"			1620
BLRI 150 MH (E27)				
162639	BLRI 150 MH (E27) Housing	MH SE 150W	4	6150
169588	PC Refractor 12"			3540
169589	PC Refractor Cover 12"			1620
BLRI 250 MMH				
162616	BLRI 250 MMH Housing	MMH 250W	4	9740
169590	PC Refractor 19"			3890
169591	PC Refractor Cover 19"			3850
BLRI 400 MMH				
162638	BLRI 400 MMH Housing	MMH 400W	4	12220
169592	PC Refractor 22"			4780
169593	PC Refractor Cover 22"			5240

Decorative mid bay/high bay with prismatic refractor and front cover. Housing, refractor & refractor cover to be ordered separately.




Suspended prismatic luminaire suitable for CFL lamps				
BLRI 118 CFL WEB				
531311	BLRI 118 CFL WEB Housing	1x18W 'D' Type CFL	4	4205
169588	PC Refractor 12"			2685
BLRI 218 CFL W2EB				
531312	BLRI 218 CFL W2EB Housing	2x18W 'D' Type CFL	4	4680
169588	PC Refractor 12"			3060
BLRI 126 CFL WEB1				
531313	BLRI 126 CFL WEB1 Housing	1x26W 'D' Type CFL	4	4710
169588	PC Refractor 12"			3090
BLRI 226 CFL WEB2				
531315	BLRI 226 CFL WEB2 Housing	2x26W 'D' Type CFL	4	4855
169588	PC Refractor 12"			3435
BLRI 65W RF ES				
162695	BLRI 65W RF ES Housing	1x65W RF CFL	4	4090
169588	PC Refractor 12"			2470
BLRI 85W RF				
162694	BLRI 85W RF Housing	1x85W RF CFL	4	6305
169590	PC Refractor 19"			2455

Decorative low bay with electronic ballast; prismatic refractor; housing & polycarbonate refractor is to be ordered separately.



Industrial Conventional Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface/pendent mounting industrial T5 luminaires

160483	BTIR 128	1x28W T5	20	1300
160484	BTIR 228	2x28W T5	10	1700

White powder coated CRCA sheet steel housing with reflector cover T5 Channel luminaire.

Surface/pendent mounting industrial T5 luminaires

160796	Aluminium reflector for BTIR 128/228	-	-	470
161387	MS powder coated reflector for BTIR 128/228	-	-	380

Powder coated CRCA sheet steel housing with high efficiency translucent acrylic in center.

Surface/pendent mounting FTL industrial luminaires

531003	BJIR 136/140 WEB1	1x36/40W FTL	12	1180
531004	BJIR 236/240 WEB2	2x36/40W FTL	12	1650

White powder coated CRCA sheet steel housing with reflector cover.

Surface/pendent mounting FTL industrial luminaires with reflector (cat. ref. BJIE)

162292	BJSER 136/140/236/240 Reflector	-	4	550
--------	---------------------------------	---	---	-----

Epoxy white powder coated reflector to be mounted on BJIR channel.

Note: Please indent BJSER reflector and BJIR channel separately for BJIE 136/140/236/240 luminaires.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

Recess mounted darklite T5 luminaire

022104	IV reflector suitable for 136/140/236/240	-	-	1390
--------	---	---	---	------

Vitreous enameled reflector to be mounted on BJIR luminaires.

Note: Please indent IV reflector and BJIR channel separately for BJIV 136/140/236/240 luminaires.

Surface/pendent mounting poly carbonate corrosion resistant FTL/ T5 luminaires

530329	BJI 136/140 PC WEB1	1x36/40W FTL	1	3300
530695	BJI 236/240 PC WEB2	2x36/40W FTL	1	4200
530733	BTI 128 T5 PC	1x28W T5 Lamp	1	3200
530734	BTI 228 T5 PC	2x28W T5 Lamp	1	4100
530775	BTI 254 T5 PC	2x54W T5 Lamp	1	4800



'TRENDY' Industrial T5 Highbay

539115	BTHBX 428	4x28W T5 Lamp	1	9300
539116	BTHBX 454	4x54W T5 Lamp	1	10500
539375	BTHBXR 454	4x54W T5 Lamp	1	12500

T-5 Highbay with CRCA housing



Lowbay integral horizontal ceiling mounted HID luminaires

162407	BJRLB 02 80 MV BC Complete			3150
161848	BJRLB 02 80 MV BC WOB	HPMV 80W	2	1950
161848	BJOR 80 MV		16	1200
162408	BJRLB 02 125 MV BC Complete			3230
161849	BJRLB 02 125 MV BC WOB	HPMV 125W	2	1980
161849	BJOR 125 MV		16	1250
162410	BJRLB 02 70 MH Complete			3400
169408	BJRLB 70 MH WOB	MH SE 70W	2	2200
169408	BJOS 70 SV/MH		16	1200
162409	BJRLB 02 70 MH DE Complete			3760
169408	BJRLB 70 MH DE WOB	MH DE 70W	2	2560
169408	BJOS 70 SV/MH		16	1200

Mediumbay integral horizontal ceiling mounted HID luminaires

162412	BJRMB 150 MH DE Complete			4970
162109	BJRMB 150 MH DE WOB	MH DE 150W	2	3170
162109	BJOS 150 SV/MH		8	1800
162309	BJRMB 250 SV Complete			6770
162602	BJRMB 250 SV WOB	HPSV 250W	2	4020
162602	BJOS 250 SV/MH		8	2750



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Mediumbay integral horizontal ceiling mounted HID luminaires

	BJRMB 250 MH Complete			6790
162290	BJRMB 250 MH WOB	MH 250W	2	4040
162602	BJOS 250 SV/MH		6	2750



Non - integral wellglass luminaires

			Lamp Housing	Glass & Guard	
165513	BJVW 200 ES	HP MV 80/125W/SV 70W	16	8	1380
165583	BJVW 200 2E ES	HP MV 80/125W/SV 70W	16	8	On Request



			Lamp Hosing	Glass & Guard	
25513	BJVW 300	Up to 300W GLS & HPSV 150W	4	8	1470

Die-cast aluminium alloy housing grey hammertone stove enamelled finish, heat resistant wellglass with gasket.

Note: Use separate control gear 150W HPSV lamp.



Integral wellglass luminaires

			Lamp Housing	CG Housing	Glass & Guard	
161354	BJVWIS 80 MV ES	HPMV 80W	16	4	8	3500
161355	BJVWIS 125 MV ES	HPMV 125W	16	4	8	3530
161350	BJVWIS 70 SV	HPSV 70W E	16	4	8	3560
161890	BJVWIS 70 MH	MH SE 70W E	16	4	8	3570
162096	BJVWIS 150 SV	HPSV 150W E	4	4	8	5100
162448	BJVWIS 150 MH [E40]	MH 150W E	4	4	8	5100

Die-cast aluminium alloy housing grey hammertone stove enamelled finish, heat resistant wellglass with gasket, suitable for HID lamps with integral separate control gear.

Integral wellglass luminaires

			Lamp Housing	Glass & Guard	
168670	BJDWIS 80 MV BC	HPMV 80W	4	8	2900
168669	BJDWIS 80 MV ES	HPMV 80W	4	8	2950
162510	BJDWI 125 MV BC	HPMV 125W	4	8	3250
162511	BJDWI 125 MV ES	HPMV 125W	4	8	3280
169668	BJDWIS 70 SV	HPSV 70W E	4	8	3070
161292	BJDWI 70 MH	MH SE 70W	4	8	3350
169697	BJDWI 150 SV	HPSV 150W E	4	8	On Request

Die-cast aluminium housing epoxy grey powder coated built in control gear, heat resistant wellglass with MS powder coated wire guard and eyebolt.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral wellglass luminaires

			Lamp Housing	Glass & Guard	
531102	BJDWIS 126 CFL WEB1	1x26W 'D' Type CFL	4	8	2380
531101	BJDWIS 226 CFL WEB2	2x26W 'D' Type CFL	4	8	2730
531104	BJDWIS 118 CFL WEB1	1x18W 'D' Type CFL	4	8	2380
531103	BJDWIS 218 CFL WEB2	2x18W 'D' Type CFL	4	8	2600

Die-cast aluminium housing epoxy grey powder coated built in control gear, heat resistant wellglass with powder coated wire guard and eyebolt.

External auxiliary reflectors for well glass luminaires

20107	White powder coated reflector for DWI/VW 300/VWI 150 SV		420
-------	---	--	-----



Canopy lighting luminaires

161860	BJUCL 250 MMH S CA	MMH T 250W	1	8400
161861	BJUCL 250 MMH AS CA	MMH T 250W	1	8400
168999	BJUCL 400 MMH A	MMH T 400W	1	9300
169000	BJUCL 400 MMH AS	MMH T 400W	1	9300

Single piece, integral, epoxy white powder coated MS/aluminium housing with die-cast aluminium frame fixed to the housing and heat resistant toughened clear glass cover & accessories for 250/400W tubular metal halide lamp.



Tunnel lighting luminaires

162654	BJTL 55 W RF	CFL 55W RF	1	4920
161067	BJTL 70 SV T WOB	HPSV T 70W	1	5200
161069	BJTL 150 SV T WOB	HPSV T 150W	1	5680
161070	BJTL 150 MH T E27 WOB	MH T 150W	1	5700
161071	BJTL 250 SV T WOB	HPSV T 250W	1	6920
161072	BJTL 250 MH T WOB	MH T 250W	1	6950
161073	BJTL 400 SV T WOB	HPSV T 400W	1	7140
161074	BJTL 400 MH T WOB	MH T 400W	1	7160

Integral, epoxy grey powder coated CRCA sheet aluminium housing, aluminium reflector with heat resistant toughened clear glass cover and accessories. Please order ballasts of corresponding rating separately with above luminaires.



GLS bulkhead luminaires

024710	BJDB 100 BC	100W GLS	20	600
024720	BJDB 100 ES	100W GLS	20	650
162422	BJDB 10 CFL RF	10W Retrofit CFL	20	600

Die-cast aluminium alloy body heat resistant prismatic glass cover, with specially designed gasket.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
CFL bulkhead luminaires				
531281	BJBE 19 WEB	1x9W 'S' type CFL	8	1220
Deep drawn anodised aluminium body, epoxy white powder coated, heat resistant prisamatic glass cover with specially designed gasket.				
CFL bulkhead luminaires				
531338	BJCB 19 WEB	1x9W 'S' type CFL	8	1130
531326	BJCB 111 WEB	1x11W 'S' type CFL	8	1545
531327	BJCB 118 WEB	1x18W 'S' type CFL	8	1545
CFL bulkhead with ABS housing and clear polycarbonate cover with electronic ballast.				
HIGHBAY/MIDBAY LUMINAIRES				
Non - integral highbay/mediumbay luminaire				
169104	BJHB/MB NI 150/400 Hosing CA		8	1380
Note: This housing is to be used along with suitable Highbay/Midbay reflector to make complete luminiare.				
Vertical mounting integral highbay/mediumbay luminaire				
162190	BJHBI/MBI 250 MV Housing	HPMV 250W	4	3600
162191	BJHBI/MBI 400 MV Housing	HPMV 400W	4	4550
162192	BJHBI/MBI 150 SV Housing	HPSV 150W	4	3600
162202	BJHBI/MBI 150 W MH(E40) Housing	MH 150W E 40	4	3650
162193	BJHBI/MBI 250SV Housing	HPSV 250W E	4	4850
162194	BJHBI/MBI 250 MH Housing	MH 250W E	4	4900
22363	BJHBI/MBI 400 SV Housing	HPSV 400W E	4	6750
22359	BJH/MBI 400 MH Housing	MH 400W E	4	6790
162195	BJH/MBI 250 MMH Housing	MMH 250W E	4	3900
162205	BJHBI/MBI 400 MMH Housing	MMH 400W E	4	4850
Note: This housing is to be used along with suitable Highbay/Midbay reflector to make complete luminiare.				
Side mounting integral highbay/mediumbay luminaire				
BJHBIS/MBIS 11 250 MV housing complete				
168986	BJHBIS/MBIS 11 250 MV housing WOB	HPMV 250W	4	2400
162127	BJOR 250 MV		4	2250
BJHBIS/MBIS 11 400 MV housing complete				
168987	BJHBIS/MBIS 11 400 MV housing WOB	HPMV 400W	4	2430
162248	BJOR 400 MV		4	3150
Note: This housing is to be used along with suitable highbay/midbay reflector to make complete luminaire.				
For Industrial induction lighting refer induction section.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
Side mounting integral highbay/mediumbay luminaire				
BJHBIS/MBIS 11 150 SV housing complete				
168989	BJHBIS/MBIS 11 150 SV housing WOB	HPSV 150W E	4	2600
162109	BJOS 150 SV/MH		4	1800
BJHBIS/MBIS 11 150 MH housing complete				
168990	BJHBIS/MBIS 11 150 MH housing WOB	MH 150W E	4	2630
162109	BJOS 150 SV/MH		4	1800
BJHBIS/MBIS 11 250 SV housing complete				
168985	BJHBIS/MBIS 11 250 SV housing WOB	HPSV 250W E	4	2700
162602	BJOS 250 SV/MH		4	2750
BJHBIS/MBIS 11 250 MH housing complete				
168991	BJHBIS/MBIS 11 250 MH housing WOB	MH 250W E	4	2730
162602	BJOS 250 SV/MH		4	2750
BJHBIS/MBIS 11 250 MMH housing complete				
169066	BJHBIS/MBIS 11 250 MMH housing WOB	MMH 250W E	4	2710
161698	BJOS MMH 250		4	1900
BJHBIS/MBIS 11 400 MMH housing complete				
168992	BJHBIS/MBIS 11 400 MMH housing WOB	MMH 400W E	4	2730
161699	BJOS MMH 400		4	2950
BJH/MBIS 400 SV housing complete				
169085	BJH/MBIS 400 SV housing WOB	HPSV 400W E	4	3350
168892	BJOS 400 SV/MH		4	3990
BJH/MBIS 400 MH TE housing complete				
169086	BJH/MBIS 400 MH TE housing WOB	MH 400W E	4	3370
168892	BJOS 400 SV/MH		4	3990
Note: This housing is to be used along with suitable highbay/midbay reflector to make complete luminaire.				
For Industrial induction lighting refer induction section.				
DHRUV - front opening integral highbay/mediumbay luminaire				
BJH/MBIF 250 MV housing complete				
169067	BJH/MBIF 250 MV housing WOB	HPMV 250W E	4	2900
162127	BJOR 250 MV		4	2250
BJH/MBIF 150 SV housing complete				
169068	BJH/MBIF 150 SV housing WOB	HPSV 150W E	4	3100
168797	BJOS 150 SV/MH		4	1800
BJH/MBIF 150 MH housing Complete				
169069	BJH/MBIF 150 MH housing WOB	MH 150W E	4	3130
168797	BJOS 150 SV/MH		4	1800
BJH/MBIF 250 SV housing Complete				
169070	BJH/MBIF 250 SV housing WOB	HPSV 250W E	4	3200
162602	BJOS 250 SV/MH		4	2750
BJH/MBIF 250 MH housing Complete				
169071	BJH/MBIF 250 MH housing WOB	MH 250W E	4	3240
162602	BJOS 250 SV/MH		4	2750
Note: This housing is to be used along with suitable highbay/midbay reflector to make complete luminaire.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



DHRUV - front opening integral highbay/mediumbay luminaire

BJH/MBIF 250 MMH housing Complete				5050
169072	BJH/MBIF 250 MMH housing WOB	MMH 250W E	4	3150
161698	BJOS 250 MMH		4	1900
BJH/MBIF 400 MMH housing Complete				6150
169065	BJH/MBIF 400 MMH housing WOB	MMH 400W E	4	3200
161699	BJOS 400 MMH		4	2950

Note: This housing is to be used along with suitable highbay/midbay reflector to make complete luminaire.



Highbay reflector

161492	Anodised highbay aluminium 11 reflector	-	4	1620
--------	---	---	---	------



Midbay reflector

162048	Anodised highbay aluminium 11 reflector	-	4	1620
--------	---	---	---	------



Highbay reflector

			Reflector	Encloser	
161493	Totally enclosed anodised highbay aluminium 11 reflector	-	4	4	2730



Midbay reflector

			Reflector	Encloser	
162049	Totally enclosed anodised midbay aluminium 11 reflector	-	4	4	2730



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Flameproof bulkhead luminaire

20082	BJFB 150/200 ES (LM6)	GLS 200W	1	8500
-------	-----------------------	----------	---	------

Epoxy finish LM6 aluminium housing with heat resistant and toughened flat glass cover.

Note: Use separate appropriate flameproof control gear for HID lamp luminaire.



Flameproof fluorescent luminaire

538548	BJFFTL 128	1x28 T5	1	15000
530602	BJFFTL 228	2x28W T5	1	28600



Flameproof fluorescent luminaire

169646	BJEXFTL 136	1x36W FTL	1	12500
169647	BJEXFTL 236	2x36W FTL	1	23000

Reflector for above luminaires

169770	Reflector for BJEXFTL 136/140	-	-	1320
020032	Reflector for BJEXFTL 236/240	-	-	1550

Epoxy finish LM6 aluminium housing with heat resistant tubular glass cover held in two aluminium cups, with built-in control gear accessories.



Flameproof non-integral wellglass luminaire

022792	BJFW-80/125 MV NI ES LM6	HPMV 80/125W	1	7600
168824	BJFW 123 CFL RF NI	1x23W Retrofit CFL	1	7600
168836	BJFW 223 CFL RF NI	2x23W Retrofit CFL	1	7600

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate flameproof control gear for HID lamp luminaire.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Flameproof non-integral wellglass luminaire

168819	BJFW 150 SV CA NI	HPSV 150W	1	9100
022770	BJFW-250 MV NI LM6	HPMV 250W	1	9100
020188	BJFW-400 MV NI LM6	HPMV 400W	1	22600
168911	BJFW 250 SV (NI) LM6	HP SV/MV 250W	1	22600
168908	BJFW 400 SV CA (NI) LM6	HP SV/MV 400W	1	22600

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate flameproof control gear for HID lamp luminaire.



Flameproof non-integral wellglass luminaire

169615	BJFW-400 MH NI LM6	HP SV/MV/MH 400W 500W GLS	1	16000
--------	--------------------	------------------------------	---	-------

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate Flameproof control gear for HID lamp luminaire.



Flameproof integral wellglass luminaire

162251	BJFW 70 MH (I)	70W MH	1	10700
162249	BJFW 70 SV (I)	HPSV 70	1	10670
169614	BJFW 250 MV (I) ES	HPMV 80	1	On Request
169696	BJFW 250 MH (I)	MH 250	1	On Request

Epoxy finish LM6 aluminium alloy housing with a heat resistant & toughened glass cover, built in control gear, painted MS wire guard and eye bolt.



Flameproof integral wellglass luminaire

169613	BJFW-80 MV I	HPMV 80W ES	1	9200
169632	BJFW-125 MV I	HPMV 125W ES	1	9170

Epoxy finish LM6 aluminium alloy housing with a heat resistant and toughened glass cover, built in control gear, painted MS wire guard and eye bolt.



Flameproof integral wellglass luminaire

020191	BJFW-250 MV CA (I)	HPMV 250W	1	13800
162250	BJFW-150 SV (I)	HPSV 150W	1	13750
162148	BJFW 150 MH (I)	MH 150W	1	13780

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Increased safety non-integral wellglass luminaire

020104	BJISW-80/125 MV NI	HP MV 80W/125W	1	5150
-	BJISW-70SV NI	HPSV 70W	1	On Request

Epoxy finish LM6 aluminium alloy housing with heat resistant glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate increased safety control gear for HID lamp luminaire.



Increased safety integral wellglass luminaire

020078	BJISW 80 MV (I)	HPMV 80W	1	7200
020079	BJISW 125 MV (I)	HPMV 125W	1	7250
020080	BJISW 70SV (I)	HPSV 70W	1	7280

Epoxy powder coated die-cast aluminium housing with adjustable swing arrangement and enclosed with diffused toughened glass cover.



Increased safety non-integral wellglass luminaire

160396	BJISW 250 MV/150SV NI LM 6	HPMV 250W/150W SV	1	6000
--------	----------------------------	-------------------	---	------

Epoxy finish LM6 aluminium alloy housing with heat resistant and glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate increase safety control gear for HID lamp luminaire.



Flameproof control gear box

022800	BJFC-80 MV CA	HPMV 80W	1	8900
022801	BJFC-125 MV CA	HPMV 125W	1	8940
020204	BJFC-70 SV (LM6)	HPSV 70W	1	9000
168820	BJFC 150 SV CA	HPSV 150W	1	9570
168906	BJFC 250 SV (LM6)	HPSV 250W	1	11000
169287	BJFC 250 MH (LM6)	MH 250W	1	11300
020187	BJFC 400 MV (LM6)	HPMV 400W	1	10900
162604	BJFC 400 SV (LM6)	HPSV 400W	1	12600

Epoxy finish LM6 aluminium alloy housing with accessories and three cable entries.

Note: To be used with suitable luminaire.



Flameproof control gear box

169643	BJFC-250 MV CA	HPMV 250W	1	10100
169616	BJFC 400 MH (LM6)	MH 400W	1	11500
169678	BJFC 400 SV	HPSV 400W	1	On Request
169697	BJFC 400MV	HPMV 400W	1	On Request

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Increased safety control gear box

020016	BJISCG 80 MV	-	1	4850
020017	BJISCG 125 MV	-	1	4880
160397	BJISCG 250 MV	-	1	6100
020077	BJISCG 70 SV	-	1	5000
020119	BJISCG 150 SV	-	1	6100
020190	BJISCG 150 MH (LM6)	-	1	6100

Epoxy finish LM6 aluminium alloy housing with accessories and three cable entries.

Note: To be use with suitable luminaire.



Flame proof non-integral flood light

169644	BJFFL 250 MV NI	HP MV/SV/MH 250W	1	25700
169645	BJFFL 400 MV NI	HP MV/SV/MH 400W	1	32000

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, mounting bracket.



Flame proof aviation obstruction light

168795	BJFAOL 01	-	1	17200
--------	-----------	---	---	-------

Aviation yellow painted LM6 aluminium alloy housing with glass cover, and wire guard.



Flame proof junction box

020206	BJFJB 100 - 4 WAY (LM6)	-	1	2700
--------	-------------------------	---	---	------

Epoxy finish LM6 aluminium alloy housing with accessories and three cable entries.

Note:

1. All the un-used cable entries must be sealed by approved plugs.
2. Only approved Flameproof double compression cable glands must be used.
3. Fittings are required to be maintained as per special code of practice under explosive environment as recommended from time to time. Accidents arising out of improper maintenance shall be beyond our scope of guarantee.



cleanroom lighting

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounting front opening clean room luminaire with screwless bottom frame

538921	BPRF 236 C LHD TG SL	2x36W 4 Pin 'L' Type CFL	1	7900
538922	BPRF 336 C LHD TG SL	3x36W 4 Pin 'L' Type CFL	1	8700



Surface mounting front opening clean room luminaire suitable for twin 18W CFL

530869	BPSF 218 C LHD	2X18W 'L' Type CFL	1	4900
--------	----------------	--------------------	---	------



Surface mounting front opening clean room luminaire suitable for twin CFL

530868	BPSF 02 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	6200
--------	-------------------	--------------------------	---	------



Surface mounting front opening clean room luminaire suitable for twin/triple CFL

530871	BPSF 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	8000
530872	BPSF 336 C LHD	3X36W 4 Pin 'L' Type CFL	1	9000



Surface mounting front opening clean room luminaire suitable for twin 36W FTL

530867	BPSF 02 236 F LHD	2X36W FTL	1	7310
--------	-------------------	-----------	---	------



Surface mounting front opening clean room luminaire suitable for twin 36W FTL

530860	BPRF 218 C LHD	2X18W 4 Pin Dulux 'L' Type CFL	1	5000
--------	----------------	--------------------------------	---	------


Note: Above luminaires are with PMMA acrylic bottom cover. Alternative with toughened glass also available. Prefix TG.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
Recess mounting front opening clean room luminaire suitable for twin CFL				
530863	BPRF 02 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	6100
Recess mounting front opening clean room luminaire suitable for twin/triple CFL				
530861	BPRF 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	7400
530862	BPRF 336 C LHD	3X36W 4 Pin 'L' Type CFL	1	8400
Recess mounting front opening clean room luminaire suitable for twin FTL				
530859	BPRF 02 236 F LHD	2X36W FTL	1	8770
Recess mounting rear opening clean room luminaire suitable for twin 18W CFL				
530873	BPRR 218 C LHD	2X18W 4 Pin Dulux 'L' Type CFL	1	6930
Recess mounting rear opening clean room luminaire suitable for twin 36W CFL				
530866	BPRR 02 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	8130
Recess mounting rear opening clean room luminaire suitable for twin/triple 36W CFL				
530864	BPRR 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	9790
530865	BPRR 336 C LHD	3X36W 4 Pin 'L' Type CFL	1	10610
Recess mounting rear opening clean room luminaire suitable for twin 36W FTL				
530874	BPRR 02 236 F LHD	2X36W FTL	1	9710

Note: Above luminaires are with PMMA acrylic bottom cover. Alternative with toughened glass also available. Prefix TG.



Roadway Conventional Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'ARCHITECTURAL DECORATIVE' luminaire (side mounting)				
161863	BRSGL 70 SV TM Complete	HPSV T 70W	1	8820
169408	BRSGL 70 SV TM WOB (12")		7620	
169408	BJOS 70 SV/MH		8	1200
162032	BRSGL 150 SV TM Complete	HPSV T 150W	1	14730
162109	BRSGL 150 SV TM WOB		12930	
162109	BJOS 150 SV/MH		8	1800
160656	BRSGL 250 SV TM Complete	HPSV T 250W	1	26400
169677	BRSGL 250 SV TM WOB		13500	
169677	BJOS 250 SV/MH		6	2750
168776	BRSGL 85 RF CFL 19"	85W RF CFL	1	10150
162416	BRSGL 70 SV SM Complete	HPSV T 70W	1	8820
169408	BRSGL 70 SV SM WOB (12")		7620	
169408	BJOS 70 SV/MH		8	1200
162555	BRSGL 70 MH SM Complete	MH T 70W	1	8870
169408	BRSGL 70 MH SM WOB (12")		7670	
169408	BJOS 70 SV/MH		8	1200
161311	BRSGL 150 SV Complete	HPSV T 150W	1	13730
162109	BRSGL 150 SV WOB (19")		12930	
162109	BJOS 150 SV/MH		8	1800
161808	BRSGL 150 MH Complete	MH SE 150W	1	15010
162109	BRSGL 150 MH WOB (19")		13210	
162109	BJOS 150 SV/MH		8	1800
161809	BRSGL 250 SV Complete	HPSV T 250W	1	16250
169677	BRSGL 250 SV WOB (19")		13500	
169677	BJOS 250 SV/MH		6	2750
161812	BRSGL 250 MH Complete	MH T 250W	1	16350
169677	BRSGL 250 MH WOB (19")		13600	
169677	BJOS 250 SV/MH		6	2750



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'MOMENTUM' Single piece, cast aluminium, top opening and integral luminaires with side/top mounting option (IP66)				
180094	BGEST 250 SV IP66 LH Complete (MOM)	HPSV T 250W	1	14700
169677	BGEST 250 SV IP66 LH WOB		11950	
169677	BJOS 250 SV/MH		6	2750
180288	BGEST 250 MH IP66 LH Complete (MOM)	MH T 250W	1	14720
169677	BGEST 250 MH IP66 (LH) WOB		11970	
169677	BJOS 250 SV/MH		6	2750
180435	BGEST 400 SV IP66 LH Complete (MOM)	HPSV T 400W	1	15970
169233	BGEST 400 SV IP66 (LH) WOB		11980	
169233	BJOS 400 SV/MH		4	3990
180320	BGEST 400 MH IP66 LH Complete (MOM)	MH T 400W	1	15990
169233	BGEST 400 MH IP66 (LH) WOB		12000	
169233	BJOS 400 SV/MH		4	3990

Top opening single piece, integral, grey powder coated die-cast aluminium housing, pot optics reflector, side entry/pole mounting arrangement and accessories. Option of curve glass available.



AQUA ROADWAY LUMINAIRE - "PEARL" (IP66) Single piece, powder coated housing with clear curved glass with pressure die cast aluminium side/top with mounting option				
169282	BJPRL 150 SV Complete	HPSV T 150W	1	12050
162109	BJPRL 150 SV WOB		10250	
162109	BJOS 150 SV/MH		8	1800
169283	BJPRL 250 SV Complete	HPSV T 250W	1	13000
169677	BJPRL 250 SV WOB		10250	
169677	BJOS 250 SV/MH		6	2750



OPTIMA Single piece, high pressure die cast aluminium with heat resistant, toughened curved glass				
169439	BJORL 150W SV/MH Complete	HPSV/MH-T 150W	-	10600
162109	BJORL 150W WOB		8800	
162109	BJOS 150 SV/MH		6	1800
169438	BJORL 250W SV/MH Complete	HPSV/MH-T 250W	-	11650
169677	BJORL 250W WOB		8900	
169677	BJOS 250 SV/MH		6	2750
169437	BJORL 400W SV/MH Complete	HPSV 400W	-	12890
169233	BJORL 400W WOB		8900	
169233	BJOS 400 SV/MH		4	3990



AQUA ROADWAY LUMINAIRE - "JET" (IP66) Single piece, die cast aluminium with full frame glass cover integral luminaires (IP66)				
180432	BGJRL 150 SV IP66 FFG Complete	HPSV T 150W	1	10870
162109	BGJRL 150 SV IP66 SH FFG WOB		9070	
162109	BJOS 150 SV/MH		6	1800
180315	BGJRL 250 SV IP66 FFG Complete	HPSV T 250W	1	15000
169677	BGJRL 250 SV IP66 SH FFG WOB		12250	
169677	BJOS 250 SV/MH		6	2750

Spring loaded click fixing, integral, powder coated die cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing, pot optics reflector & accessories. Suitable for side entry and top mounting arrangement. Option of curved glass available.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
AQUA ROADWAY LUMINAIRES - "JET" (IP66)				
Single piece, die cast aluminium with full frame glass cover integral luminaires (IP66)				
BGJRL 400 SV IP66 FFG Complete				16390
180298	BGJRL 400 SV IP66 FFG WOB	HPSV T 400W	1	12400
169233	BJOS 400 SV/MH		4	3990
Spring loaded click fixing, integral, powder coated die cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing, pot optics reflector and accessories. Suitable for side entry and top mounting arrangement. Option of curved glass available.				
AQUA roadway luminaires				
BGJRL 70 SV CG PDC Complete				7100
188564	BGJRL 70 SV CG PDC WOB	HPSV 70W	1	5900
169408	BJOS 70 SV		16	1200
Single piece, cast aluminum with full frame & flat glass cover integral luminaires (IP66)				
BGWRL 150 SV FFG Complete				9075
180295	BGWRL 150 SV FFG WOB	HPSV T 150W	1	7275
162109	BJOS 150 SV/MH		8	1800
BGWRL 150 MH FFG Complete (E40)				9100
180439	BGWRL 150 MH FFG WOB (E40)	MH T 150W	1	7300
162109	BJOS 150 SV/MH		8	1800
Blue powder coated cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing with flat toughened glass, pot optics reflector and accessories. Curved glass option available.				
Single piece, cast aluminum with full frame & flat glass cover integral luminaires (IP66)				
BGWRL 250 SV FFG Complete				12550
180296	BGWRL 250 SV FFG WOB	HPSV T 250W	1	9800
169677	BJOS 250 SV/MH		6	2750
BGWRL 250 MH FFG Complete				12600
180297	BGWRL 250 MH FFG WOB	MH T 250W	1	9850
169677	BJOS 250 SV/MH		6	2750
Blue powder coated cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing with flat toughened glass, pot optics reflector and accessories. Curved glass option available. Top and side entry mounting option available for 250W only.				
Single piece, cast aluminium with full frame glass cover integral luminaires				
BGEST 02 70 SV IP65 FFG Complete				5000
180198	BGEST 02 70 SV IP65 FFG WOB	HPSV T 70W	2	3800
169408	BJOS 70 SV/MH		8	1200
BGEST 02 70 MH IP65 FFG Complete				5020
180445	BGEST 02 70 MH IP65 FFG WOB	MH T 70W	1	3820
169408	BJOS 70 SV/MH		4	1200
Single piece, integral, grey powder coated die-cast aluminium housing, pot optics reflector with full frame glass and accessories.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
Single piece, cast aluminium with full glass cover integral luminaires (IP66)				
BGEST 70 SV FG SHN (IP66) Complete				4500
188505	BGEST 70 SV FG SHN (IP66) WOB	HPSV T 70W	1	3300
169408	BJOS 70 SV/MH		16	1200
BGEST 150 SV FG SHN (IP66) Complete				6070
188611	BGEST 150 SV FG SHN (IP66) WOB (E40)	HPSV T 150W	1	4270
162109	BJOS 150 SV/MH		8	1800
BGEST 150 MH FG SHN (IP66) Complete				6110
188612	BGEST 150 MH FG SHN (IP66) WOB (E40)	MH T 150W	1	4310
162109	BJOS 150 SV/MH		8	1800
BGEST 250 SV FG SHN (IP66) Complete				8130
188510	BGEST 250 SV FG SHN (IP66) WOB	HPSV T 250W	1	5380
169677	BJOS 250 SV/MH		6	2750
Precision optical system consisting of aluminum reflector of high purity, electro chemically brightened and anodized.				
Single piece, integral, grey powder coated pressure die-cast aluminium housing, pot optics reflector with full glass cover and accessories.				
BGEST 150 SV FG SHN (IP66) Complete				6250
169654	BGEST 150 SV FG SHN (IP66) WOB	HPSV T 150W	1	4450
162109	BJOS 150 SV/MH		8	1800
BGEST 250 SV FG SHN (IP66) PDC Complete				7550
188631	BGEST 250 SV FG SHN (IP66) PDC WOB	HPSV T 250W	1	4800
169677	BJOS 250 SV/MH		6	2750
BGEST 250 MH WN PDC (IP66) Complete				7600
188632	BGEST 250 MH WN PDC (IP66) WOB	MH T 250W	1	4850
169677	BJOS 250 SV/MH		6	2750
Integral, cast aluminium luminaires with side reflectors				
BJMSC 02 150 SV Complete				6630
160287	BJMSC 02 150 SV WOB	HPSV 150W	2	4830
162109	BJOS 150 SV/MH		8	1800
BJMSC 02 250 SV Complete				8470
160289	BJMSC 02 250 SV WOB	HPSV 250W	2	5720
169677	BJOS 250 SV/MH		6	2750
Integral, cast aluminium luminaires in grey hummertone stove enamelled finish outside and white inside, with anodised aluminium side reflectors, clean acrylic bowl and accessories.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Single piece, cast aluminium with full glass cover integral luminaires (IP65)				
180421	BGEST 85 RF CFL FG BC	1x85W Retrofit CFL	1	4175
180422	BGEST 85 RF CFL FG E27	1x85W Retrofit CFL	1	4275
180423	BGEST 85 RF CFL FG E40	1x85W Retrofit CFL	1	4350
Pressure die cast housing with epoxy power coated dark graphite grey colour finish. Prismatic polycarbonate cover with individual LED lenses.				



Integral, single piece, deep drawn luminaires				
			Housing	Acrylic
184381	BGEST 70 SV DD Complete			4160
169408	BGEST 70 SV DD WOB	HPSV T 70W	4	8
	BJOS 70 SV/MH			16
				1200
184391	BGEST 150 SV DD Complete			6390
162109	BGEST 150 SV DD WOB	HPSV T 150W	4	8
	BJOS 150 SV/MH			8
				1800
180011	BGEST 250 SV DD Complete			8130
169677	BGEST 250 SV DD WOB	HPSV T 250W	4	4
	BJOS 250 SV/MH			6
				2750
Single piece, deep drawn, sheet aluminium housing, pot optics reflector with acrylic bowl cover and accessories.				



Integral, sheet aluminium luminaires with sand blasted built in reflector & full glass				
168886	BJMSDT 03 85 RF CFL FG BC	1x85W Retrofit CFL	2	2750
168887	BJMSDT 03 85 RF CFL FG E27	1x85W Retrofit CFL	2	2780
162344	BJMSDT 03 85 RF CFL FG E40	1x85W Retrofit CFL	2	2800
BJMSDT 03 70 SV IP65 Complete				3750
162590	BJMSDT 03 70 SV IP65 WOB	HPSV T 70W	2	2550
169408	BJOS 70 SV/MH		6	1200
BJMSDT 03 70 SV IP65 Complete				3750
162590	BJMSDT 03 70 SV IP65 WOB	HPSV T 70W	2	2550
169408	BJOS 70 SV/MH		6	1200
BJMSDT 03 70 MH IP65 Complete				3790
168821	BJMSDT 03 70 MH IP65 WOB	MH T 70W	2	2590
169408	BJOS 70 SV/MH		6	1200
BJMSDT 03 150 SV IP65 Complete				5520
162110	BJMSDT 03 150 SV IP65 WOB	HPSV T 150W	2	3720
162109	BJOS 150 SV/MH		6	1800
BJMSDT 03 250 SV IP65 Complete				7100
160802	BJMSDT 03 250 SV IP65 WOB	HPSV T 250W	2	4350
169677	BJOS 250 SV/MH		6	2750

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral, sheet aluminium luminaires with side reflectors				
			Housing	Acrylic
BJMSD 02 70 SV Complete				4020
160006	BJMSD 02 70 SV WOB	HPSV 70W	2	8
169408	BJOS 70 SV/MH			16
				1200
BJMSD 04 150 SV Complete				5350
162132	BJMSD 04 150 SV WOB	HPSV 150W	2	4
162109	BJOS 150 SV/MH			8
				1800
BJMSD 04 250 SV Complete				6910
162133	BJMSD 04 250 SV WOB	HPSV 250W	2	4
169677	BJOS 250 SV/MH			6
				2750
Integral sheet aluminium housing in grey hammertone stove enamelled finish outside and white inside, with aluminium side reflectors, clear acrylic bowl and accessories.				



Energy conservation T5 lamp roadway lighting luminaires				
538793	BTSLF 414 DD	4x14W T5	1	7200
538794	BTSLF 424 DD	4x24W T5	1	7420
539477	BTSLF 414 MS N	4x14W T5	1	5900
538796	BTSLF 424 MS N	4x24W T5	1	6250
Muncell grey shade finish housing with clear acrylic bowl and accessories. (IP65 Version also available)				



Energy conservation T5 lamp roadway lighting luminaires				
			Housing	Acrylic
530776	BTSLF 128 T5	1x28W T5	10	20
530777	BTSLF 228 T5	2x28W T5	10	20
				2050
				2340
Muncell grey stove enamelled finish sheet steel housing with stove enamelled CRCA sheet steel reflector cover, ribbed acrylic bowl cover and accessories.				



Energy conservation T5 lamp roadway lighting luminaires				
530709	BTSLF 114 MS	1x14W T5	4	2820
530710	BTSLF 124 MS	1x24W T5	4	2820
530711	BTSLF 214 MS	2x14W T5	4	3200
530712	BTSLF 224 MS	2x24W T5	4	3350
Muncell grey stove enamelled finish housing with clear acrylic bowl and accessories.				



FTL roadway lighting luminaires				
			Housing	Acrylic
24013	BJSLA 136/140	1x36/40W FTL	6	12
161728	BJSLA 1140 AL HPF	1x36/40W FTL	10	20
161727	BJSLA 1140 AL LPF	1x36/40W FTL	10	20
161597	BJSLF 1140 MS LPF	1x36/40W FTL	10	20
162181	BJSLA 236/240	2x36/40W FTL	6	12
				2320
				2020
				1950
				1775
				3200
Muncell grey stove enamelled finish sheet aluminium/MS housing with stove enamelled CRCA sheet steel reflector cover, ribbed acrylic bowl cover and accessories.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



CFL roadway lighting luminaires

530084	BJSLF 236 CFL WEB2	2x36W 'L' type CFL	4	2630
162278	BJSLF 85 RF CFL E27	1x85W Retrofit CFL	4	1890

Epoxy black powder coated sheet steel housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover and accessories.



CFL roadway lighting luminaires

530047	BJSLA 136 CFL WEB1	1x36W 'L' type CFL	8	1710
--------	--------------------	--------------------	---	------

Epoxy black powder coated sheet aluminium housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover and accessories.



CFL roadway lighting luminaires

524020	BJSLA 111 CFL	1x11W 'S' type CFL	4	1450
020168	BJSLA 118 CFL	1x18W 'L' type CFL	4	1470

Black colour epoxy powder coated sheet aluminium housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover, aluminium reflector and accessories.



CFL roadway lighting luminaires

			Housing	Acrylic	
20167	BJSLF 211 DD	2x11W 'S' type CFL	8	16	1775
161795	BJSLF 218 DD	2x18W 'L' type CFL	8	16	1680


Epoxy black powder coated sheet steel housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover, aluminium reflector and accessories.

Note:

Suffix in cat. WOB without ballast, suffix in cat LPF - without capacitor.
 Suffix in cat. MH SE - single ended halide lamp, suffix in cat MH DE - double ended metal helide lamp.
 Suffix in cat. FFG full frame glass cover, suffix in cat. FG - glass cover.



Area Conventional Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Halogen floodlight luminaires

162728	BJQF 500	Halogen 500	8	830
162729	BJQF 1000	Halogen 1000	8	1800

Black powder coated die-cast aluminium housing, heat resistant toughened clear glass cover with aluminium reflector.



Symmetrical beam non-integral floodlight luminaires

169348	BJEF 15 S*	250 SV/MH/400W MH	1	5150
162136	BJEF 21 S*	HID Lamp upto 400W	1	6200
24401	BJEF 28 S*	HID Lamp upto 1000W	1	13600

Grey hammertone stove enamelled finished die-cast aluminium housing, spun aluminium reflector, heat resistant toughened clear glass cover.

* Use appropriate control gear box as per HID lamp wattage.



Symmetrical beam non-integral floodlight luminaires

161297	BJENF 14*	Tubular HID Lamp upto 400W	1	4100
--------	-----------	----------------------------	---	------

Grey powder coated die-cast aluminium housing, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

* Use appropriate control gear box as per HID lamp wattage.



Symmetrical beam non-integral floodlight luminaires

020155	BJEF 22 CA (RO) 1K*	HID Lamp upto 1000W	-	11800
--------	---------------------	---------------------	---	-------

Black powder coated die-cast aluminium housing, faceted aluminium reflector, heat resistant toughened clear glass.

*Use appropriate control gear box as per HID lamp wattage.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Asymmetrical beam integral floodlight luminaires

184400	BGEMF 70 SV/MH SE	HPSV/MH T 70W	4	4150
184470	BGEMF 70 MH DE WS II	MH DE 70W	4	4550
180507	BGEMF 150 MH DE WS II	MH DE 150W	2	6000
180289	BGEMF 150 MH SE WS II	MH SE 150W	2	5950

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.



Asymmetrical beam integral floodlight luminaires

184411	BGEMF 150 SV	HPSV T 150W	1	7000
--------	--------------	-------------	---	------

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.



Asymmetrical beam integral floodlight luminaires

BGEMFS 250W MH Complete				9950
080378	BGEMFS 250W MH WOB	MH T 250W	1	7200
169677	BJOS 250 SV/MH		6	2750
BGEMFS 250W SV Complete				9930
180377	BGEMFS 250W SV WOB	HPSV T 250W	1	7180
169677	BJOS 250 SV/MH		6	2750
BGEMFS 400W MH (O.L) Complete				11270
180380	BGEMFS 400W MH (O.L) WOB	HPSV T 400W	1	7280
169233	BJOS 400 SV/MH		4	3990
BGEMFS 400W SV Complete				11300
180379	BGEMFS 400W SV WOB	MH T 400W	1	7310
169233	BJOS 400 SV/MH		4	3990

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.



Asymmetrical beam integral, compact floodlight luminaire

BJENF 250 SV Complete				8750
169344	BJENF 250 SV WOB	HPSV T 250	1	6000
169677	BJOS 250 SV/MH		6	2750
BJENF 250 MH Complete				8775
169345	BJENF 250 MH WOB	MH T 250	1	6025
169677	BJOS 250 SV/MH		6	2750
BJENF 400 SV Complete				10090
169346	BJENF 400 SV WOB	HPSV T 400	1	6100
169233	BJOS 400 SV/MH		4	3990
BJENF 400 MH Complete				10090
169347	BJENF 400 MH WOB	MH T 400	1	6100
169233	BJOS 400 SV/MH		4	3990

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Asymmetrical beam low glare non-integral floodlight luminaires

169532	BARNF 24	Tubular Twin HID Lamp upto 400W	1	7100
--------	----------	---------------------------------	---	------

Pressure Die Cast aluminum housing, anodized aluminum reflector, heat resistant toughened clear glass cover.

* Use appropriate control gear box for as per HID lamp wattage.



Integral hoarding lighting luminaires

BJFL 02 70 MH DE Complete				5350
161078	BJFL 02 70 MH DE WOB	MH DE 70W	2	4150
169408	BJOS 70 SV/MH		16	1200
BJFL 70 SV S/AS Complete				5550
160341	BJFL 70 SV S WOB	HPSV T 70W	2	4350
160345	BJFL 70 SV AS WOB	HPSV T 70W	2	4350
169408	BJOS 70 SV/MH		16	1200
BJFL 70 MH SE S/AS Complete				5600
160508	BJFL 70 MH SE S WOB	MH SE 70W	2	4400
160553	BJFL 70 MH SE AS WOB	MH SE 70W	2	4400
169408	BJOS 70 SV/MH		16	1200

Black powder coated die-cast aluminium housing, built-in control gear, aluminium reflector, heat resistant toughened clear glass cover.

Note: *MMH T luminaire with mercury base ballast.



Integral hoarding lighting luminaires

BJFL 11 150 MH DE WSII Complete				5820
161656	BJFL 11 150 MH DE WSII WOB	MH DE 150W	2	4020
162109	BJOS 150 SV/MH		8	1800

Black powder coated die-cast aluminium housing, built-in control gear, aluminium reflector, heat resistant toughened clear glass cover.



Integral hoarding lighting luminaires

BJFL 150 SV T S/AS Complete				7150
160351	BJFL 150 SV T S WOB	HPSV T 150W	2	5350
160353	BJFL 150 SV T AS WOB	HPSV T 150W	2	5350
162109	BJOS 150 SV/MH		8	1800



Integral hoarding lighting luminaires

BJFL 150 DE S/AS WSII Complete				6700
160355	BJFL 150 MH DE S With SI WOB	MH DE 150W	2	4900
160357	BJFL 150 MH DE AS With SI WOB	MH DE 150W	2	4900
162109	BJOS 150 SV/MH		8	1800

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral Flood lighting luminaires

BJFL 01 250 SV T S Complete				8520
169398	BJFL 01 250 SV T S WOB	HPSV T 250W	1	5770
169677	BJOS 250 SV/MH		6	2750
BJFL 01 250 MH T S Complete				8540
169399	BJFL 01 250 MH T S WOB	MH T 250W	1	5790
169677	BJOS 250 SV/MH		6	2750
BJFL 01 400 SV T S/AS Complete				9810
169400	BJFL 01 400 SV T S WOB	HPSV T 400W	1	5820
169404	BJFL 01 400 SV T AS WOB	HPSV T 400W	1	5820
169233	BJOS 400 SV/MH		4	3990
BJFL 01 400 MH T S/AS Complete				9860
169401	BJFL 01 400 MH T S WOB	MH T 400W	1	5870
169405	BJFL 01 400 MH T AS WOB	MH T 400W	1	5870
169233	BJOS 400 SV/MH		4	3990

Note: BJFL 03 version is available on request which is similar to BJFL 01



Integral Flood lighting luminaires

BJFL 01 400 MMH T S/AS Complete				8900
169781	BJFL 01 400 MMH T S WOB*	MMH T 400W	1	5950
169782	BJFL 01 400 MMH T AS WOB*	MMH T 400W	1	5950
161699	400W MMH Ballast		6	2950

Note: *MMH T luminaire with mercury base ballast.



Aviation obstruction light

20075	BJAOL 1 with Neon Lamp	Neon Lamp 75VA	1	9630
-------	------------------------	----------------	---	------

Aviation yellow painted die-cast aluminium alloy housing, built-in 75VA step up transformer, heat resistant, clear thick glass and accessories. LED aviation obstruction light is also available on request.



Aviation obstruction light

24973	BJAOL 2 BC	GLS 2x100W BC	1	5800
20115	BJAOL 2 ES	GLS 2x100W ES	1	5800

Aviation yellow painted die-cast aluminium alloy housing, red coloured polycarbonate dome and accessories.



Deep drawn HID lamp control gear boxes

BJCG 70 SV DD Complete				2850
160707	BJCG 70 SV DD WOB	HPSV/MH 70W	2	1650
169408	BJOS 70 SV/MH		16	1200

Grey powder coated deep drawn CRCA sheet steel box with rubber gasket & accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Deep drawn HID lamp control gear boxes				
BJCG 400 MV DD Complete				
168647	BJCG 400 MV DD WOB	HPMV 400W	2	5080
162248	BJOR 400 MV		6	1930
BJCG 150 SV/MH DD Complete				
168461	BJCG 150 SV/MH DD WOB	HPSV/MH 150W	2	3885
162109	BJOS 150 SV/MH		8	2085
Grey powder coated deep drawn CRCA sheet steel box with rubber gasket & accessories.				



Deep drawn HID lamp control gear boxes				
BJCG 250 SV/MH DD Complete				
168462	BJCG 250 SV/MH DD WOB	HPSV/MH 250W	2	4940
169677	BJOS 250 SV/MH		6	2190
BJCG 400 SV/MH DD Complete				
168463	BJCG 400 SV/MH DD WOB	HPSV/MH 400W	2	6230
169233	BJOS 400 SV/MH		4	2240
Grey powder coated deep drawn CRCA sheet steel box with rubber gasket and accessories.				



Deep drawn HID lamp control gear boxes				
BJCG 2x150 SV/MH DD Complete				
169493	BJCG 2x150 SV/MH DD WOB	HPSV/MH 150W	-	7150
162109	BJOS 150 SV/MH		8	3550
BJCG 2x250 SV/MH DD Complete				
169494	BJCG 2x250 SV/MH DD WOB	HPSV/MH 250W	-	9200
169677	BJOS 250 SV/MH		6	3700
BJCG 2x400 SV/MH DD Complete				
169495	BJCG 2x400 SV/MH DD WOB	HPSV/MH 400W	-	11840
169233	BJOS 400 SV/MH		4	3860



Compact cast aluminium HID lamp control gear boxes				
161041	BJCG 70 SV CA2	HPSV 70W	2	3250
168541	BJCG 150 SV/MH CA2	HPMV/MH 150W	2	3900
Grey powder coated die-cast aluminum box with rubber gasket and accessories.				



Compact cast aluminium HID lamp control gear boxes				
BJCGB 250 SV/MH CA Complete				
168532	BJCGB 250 SV/MH CA WOB	HPMV/MH 250W	2	5550
169677	BJOS 250 SV/MH		6	2800
BJCGB 400 SV/MH CA Complete				
168533	BJCGB 400 SV/MH CA WOB	HPMV/MH 400W	2	6890
169233	BJOS 400 SV/MH		4	2900


ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Cast aluminium HID control gear boxes				
BJCGB 2x250 SV/MH CA Complete				
160623	BJCGB 2x250 SV/MH CA WOB	HPMV/MH 2x250W	1	10600
169677	BJOS 2x250 SV/MH		6	5100
BJCGB 2x400 SV/MH CA Complete				
160624	BJCGB 2x400 SV/MH CA WOB	HPMV/MH 2x400W	1	13280
169233	BJOS 2x400 SV/MH		4	5300
BJCGB 1000 SV/MH CA Complete				
162099	BJCGB 1000 SV/MH CA WOB	HPMV/MH 1000W	1	15000
28215	BJS 1000 SV/MH		1	6000



Landscape Conventional Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral CFL post top lanterns				
160368	BJCPTI 118 Opal	1x18W 'D' type CFL	1	2975
160339	BJCPTI 118 Clear	1x18W 'D' type CFL	1	3780
Black ABS plastic spigot, spun aluminium canopy, with opal / clear acrylic diffuser and accessories.				



Integral CFL post top lanterns				
160559	BJCPTI 218 Opal	2x18W 'D' type CFL	1	5625
160408	BJCPTI 218 Clear	2x18W 'D' type CFL	1	6575
Integral CFL post top lanterns 2x11 and PDC aluminium spigot for 2x18W version, spun aluminium canopy, with opal / clear acrylic diffuser and accessories.				



Integral CFL post top lanterns				
162384	BJGLI 218 Clear	2x18W 'D' type CFL	1	6315
Black ABS plastic spigot for 2x11 and cast aluminium spigot for 2x18W version, spun aluminium funnel shape with clear acrylic cover, light opening on canopy with baffles and accessories.				



Integral CFL post top lanterns				
160432	BRPTI 118 Opal	1x18W 'D' type CFL	4	2210
160433	BRPTI 118 Clear	1x18W 'D' type CFL	4	3030
Black ABS plastic spigot, integral, oval shape post top lantern with clear / opal acrylic for single compact fluorescent lamp.				



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral CFL post top lanterns				
160436	BRPTCI 118 Opal	1x18W 'D' type CFL	4	2525
160437	BRPTCI 118 Clear	1x18W 'D' type CFL	4	3350
Black ABS plastic spigot, spun aluminium canopy, with opal acrylic diffuser and accessories. Integral, Fedora hat post top lantern with clear / opal acrylic for single compact fluorescent lamp.				



'NEO' HID integral post top lanterns 'CELESTA'				
110528	BNCL 85 RF CFL Opal	85W CFL	1	10925
BNCL 70 SV C Complete				14350
110300	BNCL 70 SV C WOB	HPSV T 70W	1	13150
169408	BJOS 70 SV/MH			1200
BNCL 70 MH C Complete				14350
110296	BNCL 70 MH C WOB	MH T 70W	1	13150
169408	BJOS 70 SV/MH			1200
BNCL 70 SV O Complete				12325
110301	BNCL 70 SV O WOB	HPSV T 70W	1	11125
169408	BJOS 70 SV/MH			1200
BNCL 70 MH O Complete				12475
110297	BNCL 70 MH O WOB	MH T 70W	1	11275
169408	BJOS 70 SV/MH			1200
BNCL 150 SV C Complete				15100
110303	BNCL 150 SV C WOB	HPSV T 150W	1	13300
162109	BJOS 150 SV/MH			1800
BNCL 150 MH C Complete				15130
110302	BNCL 150 MH C WOB	MH T 150W	-	13330
162109	BJOS 150 SV/MH			1800
BNCL 150 SV O Complete				15170
110305	BNCL 150 SV O WOB	HPSV T 150W	-	13370
162109	BJOS 150 SV/MH			1800
BNCL 150 MH O Complete				15190
110304	BNCL 150 MH O WOB	MH T 150W	-	13390
162109	BJOS 150 SV/MH			1800
Copper dust finish cast aluminium spigot and spun aluminium canopy fixed with clear / opal polycarbonate enclosure.				
"NEO" - CELESTA opal version is available with 85W retrofit CFL on request.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹	
	'NEO' HID integral post top lanterns 'COSMOS'				
	110329 169408	BNCS 70 SV C Complete BNCS 70 SV C WOB WOB BJOS 70 SV/MH	HPSV T 700W	1	12450 11250 1200
	110330 169408	BNCS 70 MH C Complete BNCS 70 MH C WOB BJOS 70 SV/MH	MH T 70W	1	12490 11290 1200
	110331 169408	BNCS 70 SV O Complete BNCS 70 SV O WOB BJOS 70 SV/MH	HPSV T 70W	1	10650 9450 1200
	110332 169408	BNCS 70 MH O Complete BNCS 70 MH O WOB BJOS 70 SV/MH	MH T 70W	1	10660 9460 1200
	110333 162109	BNCS 150 SV C Complete BNCS 150 SV C WOB BJOS 150 SV/MH	HPSV T 150W	1	13230 11430 1800
	110334 162109	BNCS 150 MH C Complete BNCS 150 MH C WOB BJOS 150 SV/MH	MH T 150W	1	13285 11485 1800
	110336 162109	BNCS 150 MH O Complete BNCS 150 MH O WOB BJOS 150 SV/MH	MH T 150W	1	11430 9630 1800
	Copper dust finish cast aluminium spigot and spun aluminium canopy fixed with clear / opal polycarbonate enclosure 'NEO' - COSMOS opal version is available with 85W retrofit CFL on request.				



Integral HID lamp post top lanterns				
BJPTI 125 MV Complete				4910
162442	BJPTI 125 MV WOB	HPMV 125W	1	3660
161849	BJOR 125 MV		16	1250
BJPTI 70 SV Complete				5100
162443	BJPTI 70 SV WOB	HPSV 70W	1	3900
169408	BJOS 70 SV/MH		16	1200
BJPTI 70 MH WOB Complete				5130
162444	BJPTI 70 MH WOB	-	1	3930
169408	BJOS 70 SV/MH		16	1200
Note: Power factor improvement capacitor can be supplied on request at extra cost.				

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹	
	Integral HID lamp post top lanterns				
	524821	Spigot for BJMPTI 125 MV LPF	HPMV 125W	4	2680
	524830	Spigot for BJMPTI 70 SV LPF	HPSV 70W	4	3065
	024800	Mushroom shape Roto Mould Diffuser*	-	1	2390
Note: *Add Mashroom Diffuser and spigot price for complete luminaires price.					
	Integral HID lamp post top lanterns				
	524821	Spigot for BJDPTI 125 MV LPF	HPMV 125W	4	2680
	524830	Spigot for BJDPTI 70 SV/MH LPF	HPSV 70W	4	3070
	024900	Diamond shape Roto Mould Diffuser*	-	1	2485
Note: *Add Diamond Diffuser and spigot price for complete luminaires price.					
	Integral HID lamp post top lanterns				
	524821	Spigot for BJDPTI 125 MV LPF	HPMV 125W	4	2680
	524830	Spigot for BJDPTI 70 SV/MH LPF	HPSV 70W	4	3070
	024890	Spherical shape Roto Mould Diffuser*	-	1	2480
Note: *Add Spherical Shape Diffuser and spigot price for complete luminaires price.					
	Integral HID lamp post top lanterns				
	524821	Spigot for BJDPTI 125 MV LPF	HPMV 125W	4	2680
	524830	Spigot for BJDPTI 70 SV/MH LPF	HPSV 70W	4	3070
	520035	Temple shape Roto Mould Diffuser*	-	1	2480
Note: *Add Temple Shape Diffuser and spigot price for complete luminaires price.					
	'JUNO' non-integral post top lanterns				
	168787	BJODC 1145 RF CFL	45W CFL	1	4660
	162505	BJODC 150 SV/MH	MH/SV T 150W	1	7400
	162519	BJODC 250/400 SV/MH	MH/SV T 250/400W	1	9150
Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.					
Note: Use separate outdoor control gear suitable for respective lamp.					
	'JUNO' integral post top lanterns				
	BJODCI 1170 SV Complete				6210
	162159	BJODCI 1170 SV WOB	HPSV T 70W	1	5010
	169408	BJOS 70 SV/MH		16	1200
	BJODCI 1170 MH Complete				6250
	162160	BJODCI 1170 MH WOB	MH T 70W	1	5050
	169408	BJOS 70 SV/MH		16	1200
	Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.				



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'JUNO' integral post top lanterns

BJODCI 1170 MH DE Complete				
162161	BJODCI 1170 MH DE WOB	MH DE 70W	1	5425
169408	BJOS 70 SV/MH		16	1200
BJODCI 150 SV Complete				
162509	BJODCI 150 SV WOB	HP SV T 150W	1	7870
162109	BJOS 150 SV/MH		8	1800
BJODCI 150 MH (E40) Complete				
162512	BJODCI 150 MH (E40) WOB	MH T 150W	1	8140
162109	BJOS 150 SV/MH		8	1800

Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.



'JUNO - CLUSTER' integral accessories for post top lanterns

Centre pole mounting pipe assembly suitable				
916229	for 3x70/150W SV/MH BJODC Range	3x70/150/250/	1 Set	11840
	400 SV/M and 3 nos. "J" pipe bracket			
Centre Pole mounting Pipe assembly suitable				
916230	for 3x250/400W HPSV/MH BJODC	-	1 Set	21630
	Range and 3 nos. "J" pipe bracket			

For making 3 luminaires black painted cluster, take the above luminaires prices of respective luminaire alongwith the accessories.

Note: Used appropriate control gear for non-integral luminaire.



'INDIRECT LIGHT' integral post top lanterns

BRIL 22 70 MH DE Complete				
162562	BRIL 22 70 MH DE WOB	MH DE 70W	1	14420
169408	BJOS 70 SV/MH			1200
BRIL 22 150 MH DE Complete				
162563	BRIL 22 150 MH DE WOB	MH DE 150W	1	14520
162109	BJOS 150 SV/MH			1800

Novel design of lighting column suitable for 150W MH DE lamp. Eco friendly outdoor decorative and energy saving luminaire for 70/150W MH DE lamp.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral bollards

111714	BECBL 03 118 CFL B	1x18W 'D' type CFL	1	8200
--------	--------------------	--------------------	---	------

Black epoxy powder coated cylindrical bollard with antiglare louvers diffuser in clear acrylic cover.



Integral CFL bollards

160439	BRBOL 118 Clear	1x18W 'D' type CFL	1	7420
--------	-----------------	--------------------	---	------

Black finish cylindrical shaped, unique design, integral decorative bollard with clear acrylic cover for single compact fluorescent lamp.



Integral CFL bollards

160101	BJBOL 02 29 CFL	2x9W 'S' type CFL	1	5770
160125	BJBOL 02 218 CFL	2x18W 'D' type CFL	1	6060

Black painted MS pipe housing with cast aluminium dome shaped threaded top cover with cylindrical, reeded polycarbonate diffuser and accessories.



Integral CFL bollards

160126	BJBOL 03 29 CFL	2x9W 'D' type CFL	1	6500
160128	BJBOL 03 218 CFL	2x18W 'D' type CFL	1	6790

Black painted MS pipe housing with cast aluminium dome shaped threaded top cover with cylindrical, reeded polycarbonate diffuser and accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral wall up-downlight luminaires

162599	BLWUD 70 MH T WOB	MH T 1x70W G12	4	14420
--------	-------------------	----------------	---	-------

Black epoxy powder coated aluminium housing with wall mounting bracket.
Order electric ballast BEHS 70 .nxt (539123) Separately.



Recess wall mounting luminaires

110139	BEGPL 118 CFL	1x18W 'D' type CFL	6	2370
--------	---------------	--------------------	---	------

Epoxy white powder coated aluminium housing with black powder coated aluminium anti-glare louver & frosted glass cover.



Recess wall mounting luminaires

110141	BEOPL 113 CFL	1x13W 'D' type CFL	6	2266
110142	BEOPL 118 CFL	1x18W 'D' type CFL	6	2266

Epoxy white powder coated aluminium housing, black powder coated frame fixed with frosted glass cover.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	UNIT PRICE ₹
-----------------------	----------------	--------------

Recess wall mounting luminaires

110393	BJPL 01 300	32960
110395	BJPL 01 400	36050
110397	BJPL 01 500	45320
110398	BJPL 01 600	46350
110399	BJPL 01 700	47380

Black painted galvanised pole in different section and gold colour painted decorative rings.

110396	BJPL 02 300	43780
110407	BJPL 02 400	46870
110401	BJPL 02 600	57680
110402	BJPL 02 700	58710

Black painted galvanised pole in different section and gold colour painted decorative rings and decorative base ring.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	UNIT PRICE ₹
-----------------------	----------------	--------------

112363	BJPL 04 350	-
--------	-------------	---


Black painted galvanised pole in different section and gold colour painted decorative rings and decorative base ring.

112308	BGIP 20W LED	22000
--------	--------------	-------

Black painted GI Pole with perforations on the top with 20 W LED integrated for lighting



Induction Conventional Lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction surface mounted low bay luminaire

	BJRLB 40 IL Complete			21600
169559	BJRLB 40 IL WOB	40W IL	1	3004
148251	BIL 406 R			9298
539358	BIB 406			9298

Lowbay luminaire with epoxy white powder coated CRCA sheet steel housing, along with driver suitable for 40W induction lamp.



Induction surface mounted medium bay luminaire

	BJRMB 80 IL Complete			28400
169560	BJRMB 80 IL WOB	80W IL	1	4918
148242	BIL 806 R			11741
539354	BIB 806			11741

Mediumbay luminaire with epoxy white powder coated CRCA sheet steel housing, along with driver suitable for 80W induction lamp.



Induction canopy lighting luminaire

	BJUCL 80 IL Complete			31500
169563	BJUCL 80 IL WOB	80W IL	1	8018
148246	BIL 806 C			11741
539354	BIB 806			11741

Recess mounting, die cast aluminium housing, along with driver suitable for 80W induction lamp.



Induction canopy lighting luminaire

	BLRI 80 IL Complete			37300
169572	BLRI 80 IL WOB	80W IL	1	13818
148246	BIL 806 C			11741
539354	BIB 806			11741

Spun aluminium control gear housing with fluted polycarbonate refractor along with control gear for induction lamp. Polycarbonate bottom cover can be provided (optional).



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction canopy lighting luminaire

	BLRI 120 IL Complete			43000
169562	BLRI 120 IL WOB	120W IL	1	15938
148247	BIL 1206 C			13531
539355	BIB 1206			13531

	BLRI 150 IL Complete			45500
169574	BLRI 150 IL WOB	150W IL	1	17322
148249	BIL 150 C			14089
539356	BIB 1506			14089

	BLRI 200 IL Complete			48105
169573	BLRI 200 IL WOB	150W IL	1	17691
148248	BIL 200 C			15207
539357	BIB 2006			15207

Spun aluminium control gear housing with fluted polycarbonate refractor along with control gear for induction lamp. Polycarbonate bottom cover can be provided (optional).



Induction highbay luminaire with faceted reflector

	BJHBI 80 IL FC Complete			30231
169587	BJHBI 80 IL FC TE WOB	80W IL	1	6749
148246	BIL 806 C			11741
539354	BIB 806			11741

	BJHBI 120 IL FC Complete			34200
169575	BJHBI 120 IL FC TE WOB	120W IL	1	7138
148247	BIL 120 C			13531
539355	BIB 1206			13531

	BJHBI 150 IL FC Complete			35600
169576	BJHBI 150 IL FC TE WOB	150W IL	1	7422
148248	BIL 150 C			14089
539356	BIB 1506			14089

	BJHBI 200 IL Complete			38000
169577	BJHBI 200 IL FC TE WOB	200W IL	1	7592
148249	BIL 200 C			15204
539357	BIB 2006			15204

High bay provided with decorative Integral spun aluminium housing and anodised aluminium faceted reflector

Induction highbay luminaire with faceted reflector

	BJHBI 250 IL Complete			41000
169754	BJHBI 250 IL FC TE	200W IL	1	24500
148258	BIL 2006			16500

High bay provided with decorative Integral spun aluminium housing and anodised aluminium step and back reflector for better heat dissipation.



Induction flood lighting luminaire

	BJFL 80 IL Complete			31000
169565	BJFL 80 IL WOB	80W IL	1	7518
148242	BIL 806 R			11741
539354	BIB 806			17741

Epoxy powder coated die-cast aluminium housing, provided with electronic driver suitable for 80W induction lamp.

induction lighting



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction flood lighting luminaire

BJENF 150 IL NI Complete				39990
169570	BJCG 150 IL DD WOB			2310
169568	BJENF 150 IL NI	150W IL	1	9412
148244	BIL 1506 R			14089
539356	BIB 150			14089
BJENF 200 IL NI Complete				42660
169571	BJCG 200 IL DD WOB			2426
169569	BJENF 200 IL NI	200W IL	1	9826
148245	BIL 2006 R			15204
539357	BIB 200			15204

Epoxy power coated die cast aluminium housing, suitable for 150W/200W induction lamp for effective asymmetrical beam control.



Induction tunnel lighting luminaire

BJTL 150 IL Complete				40900
169566	BJTL 150 IL WOB	120W IL	1	12722
148244	BIL 1506 R			14089
539356	BIB 1506			14089
BJTL 200 IL Complete				43600
169567	BJTL 200 IL WOB	200W IL	1	13192
148245	BIL 200 R			15204
539357	BIB 2006			15204

Epoxy white powder coated sheet steel aluminium fitted to the extruded aluminium sections, along with driver suitable for 200W induction lamp.



Induction street lighting luminaire

BJEST 40 IL FG SHN Complete				
169578	BJEST 40 IL FG SHN WOB	40W IL	1	24400
148251	BIL 40 R			5804
539358	BIB 406			9298

Epoxy grey powder coated single piece die-cut aluminium housing. Electrochemically brightened, polished, and anodised finish pot optic aluminium reflector with heat resistant toughened clear glass.



Induction street lighting luminaire

BGEST 80 IL FG Complete				
169579	BGEST 80 IL FG WOB	80W IL	1	30730
148242	BIL 806 R			7248
539354	BIB 806			11741

Epoxy grey powder coated single piece die-cut aluminium housing and C.G. accessories. Electrochemically brightened, polished, and anodised finish aided pot optic aluminium reflector for lamp.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction street lighting luminaire

BTSLF 120 IL PC Complete				38540
169582	BTSLF 120 IL PC WOB	120W IL	1	11478
148243	BIL 1206 R			13531
539355	BIB 1206			13531
BTSLF 150 IL PC Complete				39650
169648	BTSLF 150 IL PC WOB	150W IL	1	11472
148244	BIL 1506 R			14089
539356	BIB 1506			14089



Stone enameled luminaire with clean acrylic and accessories.



Induction clean lighting luminaire

BPRF 80 IL TG Complete				
169583	BPRF 80 IL TG WOB	80W IL	1	32870
148242	BIL 806 R			9388
539354	BIB 8066			11741





RENEWABLE LUMINARES 25-26

Solar Standalone Streetlight	25
Solaron	23

solar portfolio

SOLAR STAND ALONE STREETLIGHT

*Solar Standalone Streetlight System consists of Solar LED Luminaire, Solar Panel, Solar Low maintenance Flooded Battery (Luminous / Southern), GI Battery Box and 6mtr GI Pole

*2 years warranty for total system

PRODUCT DESCRIPTION	AUTONOMY	UNIT PRICE ₹
Recess mounting front opening clean room luminaire with screwless bottom frame		
9W LED solar streetlight system	3 days	63000
12W LED solar streetlight system	3 days	72000
12W LED solar streetlight system	2 days	67000
15W LED solar streetlight system	3 days	77000
15W LED solar streetlight system	2 days	74000
21W LED solar streetlight system	3 days	91000
21W LED solar streetlight system	2 days	82000
24W LED solar streetlight system	3 days	100000
24W LED solar streetlight system	2 days	94000
30W LED solar streetlight system	3 days	115000
30W LED solar streetlight system	2 days	105000
Recess mounting front opening clean room luminaire with screwless bottom frame		
43W LED solar streetlight system	3 days	162000
43W LED solar streetlight system	2 days	130000
60W LED solar streetlight system	3 days	220000
60W LED solar streetlight system	2 days	195000
OPAL 21W/30W		
21W LED solar streetlight system with non-integral charge controller	3 days	On request
21W LED solar streetlight system with non-integral charge controller	2 days	On request
30W LED solar streetlight system with non-integral charge controller	3 days	On request
30W LED solar streetlight system with non-integral charge controller	2 days	On request
CORONA 9W		
9W LED solar streetlight system	3 days	59000
CUB 20W		
20W LED solar streetlight system	3 days	88000
20W LED solar streetlight system	2 days	78000

ORDERING PRODUCT CODE	PART NAME	AUTONOMY	UNIT PRICE ₹
Semi highmast			
SolarZ+ 204	20W * 4 Nos. LED solar streetlight system with 7m octagonal pole	2 days	500000
SolarZ+ 304	30W * 4 Nos. LED solar streetlight system with 9m octagonal pole	2 days	600000


SOLARON

ORDERING PRODUCT CODE	PRODUCT DESCRIPTION	AUTONOMY	UNIT PRICE ₹
Solar portable compact kit			
Module-1	Complete set with solar panel and battery with 1 No. of 3W LED batten/LED bulb	15 hours	11000
Module-2	Complete set with solar panel and battery with 2 Nos. of 3W LED batten/LED bulb	15 hours	18000
Module 3	Complete set with solar panel and battery with 2 Nos. of 3W LED batten/LED bulb+1 DC fan (12V)	15 hours	37000
Module 4	Complete set with solar panel and battery with 4 Nos. of 3W LED batten/LED bulb	15 hours	34000


PRODUCT DESCRIPTION	QUANTITY PAR SET	UNIT PRICE ₹
---------------------	------------------	--------------

SOLAR POWER PACK

1 KVA system with 4 hours autonomy		
Solar PV panel - 250Wp	4	430000
Power conditioning unit - 1 KVA	1	
Solar low maintenance battery 12V - 200 AH	2	
Connecting accessories set	1	
500 VA system with 4 hours autonomy		
Solar PV Panel - 250Wp	2	260000
Power conditioning unit - 600 VA	1	
Solar low maintenance battery 12V - 120 AH	2	
Connecting accessories set	1	
Note: Bajaj solar portfolio also consists of centralised solar street lighting system, solar hoarding, solar roof top system, solar water pumping system, solar panel, solar power conditioning unit.		



INTEGRATED BUILDING MANAGEMENT SYSTEM



ORDERING PRODUCT CODE	CAMERA TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	-------------	------------------	--------------

Analog CCTV Range



Infrared dome camera

600773	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs AGC, AWB, BLC CE, FCC and RoHS certified	4	5800
--------	--	---	------



Weather proof infrared bullet camera

600772	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs IP65, AGC, AWB, BLC CE, FCC and RoHS certified	4	6600
--------	--	---	------



Digital video recorder

600142	16 channel, free DDNS, CIF recording hard-disk and display not included	1	21500
600390	8 channel, free DDNS, CIF recording Hard-disk And Display Not Included	1	13200
600698	4 channel, free DDNS, D1 recording hard-disk and display not included	1	10700

ORDERING PRODUCT CODE	CAMERA TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	-------------	------------------	--------------

Analog CCTV Range (Powered by)



Infrared dome camera

600778	2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
--------	--	---	-------



2MP full HD ultra mini IP network camera

600778	2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
--------	--	---	-------




8-CH 2-bay HDD auto setup auto adaptive stream hardware decoding standalone desktop

600775	8-CH live viewing 1-CH local playback, 4-CH remote Synchronous playback Embedded linux OS Easy to install HDD design 1080P HDMI local video output Plug & play auto setup Auto adaptive stream for efficient display Support fisheye dewarp (10, 1P, 1R, 103R) Support local rewind VIVOTEK camera configuration integrated Hard disk and display not included	1	77600
--------	---	---	-------



IP CCTV combo offer

600774	2 ultra mini bullet 2 ultra mini dome 1 No. 4 port POE switch 1 No. 8 channel NVR Hard disk and display not included	1	215600
--------	--	---	--------



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

BALLAST



'ICON' Electronic ballast - ICON Family				
539207	ICON 136	1x36 T8/PLL, 1x40 T12	10	250
539315	Icon 113	1x9/11/13W CFL 2 Pin/4 Pin	30	240
539316	Icon 118	1X18W CFL 2 Pin/4 Pin	30	240



'ICON' Electronic ballast - ICON Family				
539319	Icon 124 Sleek	1x24W T5	10	440
539320	Icon 128 Sleek	1x28W T5	10	440
539318	Icon 136 Sleek	1x36W T8/PLL, 1x40W T12	10	360



'ICON' Electronic ballast - ICON Family				
539321	Icon 228 Slender	2x28W T5	10	790
539322	Icon 236 Slender	2x36W T8/PLL, 2x40W T12	10	760

Electronic ballast suitable for 24 hrs operation. High power factor >0.94, over voltage protection 48 hrs at 340V and 2 hrs at 360V. Ideal for industrial applications.



Commercial electronic ballast for CFL/FTL lamps				
530881	BJHF 109/11/10/13	1x9/10/11/13W 'S' type CFL	60	245
530882	BJHF 118	1x18W 'D' type CFL	60	245

HF ballast made of engineering plastic, pf>0.9. Not for industrial use. Suffix "S" in cat. reference indicates Slim ballast.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'Regular' electronic ballast				
530287	BJHF 118/120 P	1x18/20W FTL	24	600
530107	BJHF 136/140 P	1x36/40W FTL	24	600
530108	BJHF 236/240 P	2x36/40W FTL	24	720
530066	BJHF 128 P	1x28W T5	24	540
530067	BJHF 228 P	2x28W T5	24	760
530658	BJHF 224 P	2x24W T5	24	720
530064	BJHF 114 P Warm Start	1x14W T5	100	550
538457	BJHF 124 P Warm Start	1x24W T5	100	600
530065	BJHF 214 P Warm Start	2x14W T5	50	775
530255	BJHFS 218 P Warm Start	2x18W CFL	24	720
530256	BJHFS 226 P Warm Start	2x26W CFL	24	810

Slim, light in weight, regular electronic ballast having THD < 30% power factor > 0.95 suitable for single/twin CFL/FTL/T5 lamp.



'Leader' Electronic ballast-low harmonics (THD < 10%)				
530109	BJHF 136/140 LHD	1x36/40W FTL	24	720
530110	BJHF 236/240 LHD	2x36/40W FTL	24	1000
530159	BJHF 418/420 LHD	4x18/20W FTL	24	1530
530292	BJHF 128 LHD	1x28W T5	24	900
530293	BJHF 228 LHD	2x28W T5	24	1170
530933	BJHF 314 LHD	3x14W T5	24	1350
530261	BJHFS 218 CFL LHD	2x18W CFL	24	1000
530991	BJHFS 226 CFL LHD	2x26W CFL	24	1000

Leader' - high frequency electronic ballast with current harmonic maintained below 10% and EMI/RFI as per international specification with improved power factor close to 0.99 suitable for 36/40W - CFL/FTL luminaires. "Leader" HF Ballasts available in all types & wattage of FTL/CFL.



'Intelligent' Electronic ballast - constant wattage				
530113	BJHF 136/140 A	1x36/40W FTL	24	1000
530114	BJHF 236/240 A	2x36/40W FTL	24	1350
538928	BJHF 414 A	4x14W T5	20	1370
530704	BJHF 254 A	2x54W T5	25	2700

'Intelligent' - Bajaj Constant Wattage Ballast conforming to international and national specifications as safety and performance suitable for 36/40W - CFL/FTL luminaires with power factor closed to unity.

All CFL & FTL - T8/T5 Intelligent Ballasts available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Open construction HPMV ballast

161848	BJOR 80 MV	HPMV 80W	16	1200
161849	BJOR 125 MV	HPMV 125W	16	1250
162127	BJOR 250 MV	HPMV 250W	8	2250
162248	BJOR 400 MV	HPMV 400W	6	3150

'Intelligent' - Bajaj Constant Wattage Ballast conforming to international and national specifications as safety and performance suitable for 36/40W - CFL/FTL luminaires with power factor closed to unity.

All CFL & FTL- T8/T5 Intelligent Ballasts available on request.



Open construction MMH ballast

161698	BJOS 250W MMH Ballast**	MMH 250W	6	1900
161699	BJOS 400W MMH Ballast**	MMH 400W	6	2950

Open construction electromagnetic ballasts consisting of high quality silicon steel lamination with argon welding, super enamelled copper wire, vacuum impriganated with white resin, terminal block with tapping for 220/240 volts supplied. Suitable for commercial, industrial and area lighting applications.

Note: ** MMH ballast to be used for mercury based metal halide lamp only with suitable ignitor (Code: 020124).



Open construction HPSV/MH ballast

169408	BJOS 70 SV/MH	HPSV/MH 70W	16	1200
162109	BJOS 150 SV/MH	HPSV/MH 150W	8	1800
162602	BJOS 250 SV/MH	HPSV/MH 250W	6	2750
169233	BJOS 400 SV/MH	HPSV/MH 400W	6	3990

Open construction electromagnetic ballasts consisting of high quality silicon steel lamination with argon welding, super enemelled copper wire, vacuum impriganated with white resin, terminal block with tapping for 220/240 volts supplied. Suitable for commercial, industrial and area lighting applications.



Ignitors for HPSV/MH luminaires

28800	BJIGN HPSV A	HPSV Lamp	As per required	240
20122	BJIGN MH A	MH Lamp	As per required	250
28630	BJIGN HPSV 1	HPSV Lamp	As per required	260
28830	BJIGN HPSV 2	HPSV Lamp	As per required	400
20123	BJIGN SV/MH SI	HPSV Lamp	As per required	550
20124	BJIGN MMH A	MMH Lamp	As per required	350

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	MRP ₹
-----------------------	----------------	-----------	------------------	-------

LIGHT SOURCES



.nxt T5 lamps

148223	.nxt T5 Lamp 28W/86	T5 28W	30	145
148224	.nxt T5 Lamp 14W/86	T5 14W	30	140
148225	.nxt T5 Lamp 28W/84	T5 28W	30	145
148226	.nxt T5 Lamp 14W/84	T5 14W	30	140

Sleek size T5 tubes with advanced triphosphor layer. High color rendering and lumen maintenance. Ideally suitable for Indian weather conditions.



CDM-T lamps

148145	BN35CM-T 3K G12	G12/CCT : 3000K	12	1050
148147	BN70CM-T 3K G12	G12/CCT : 3000K	12	1050
148155	BN150CM-T 3K G12	G12/CCT : 3000K	12	1250

HID LAMPS



HPMV LAMPS

140480	HPMV 80W BC	16	125
140481	HPMV 80W ES	16	130
140580	HPMV 125W BC	16	135
140581	HPMV 125W ES	16	140
140680	HPMV 250W ES	12	300
140780	HPMV 400W ES	12	430



HPSV LAMPS

141070	HPSV 70W elliptical WOI	12	200
141150	HPSV 150W elliptical	9	340
141250	HPSV 250W elliptical	9	380
141400	HPSV 400W elliptical	6	460
142070	HPSV 70W tubular WOI	12	220
142150	HPSV 150W tubular	9	330
142250	HPSV 250W tubular	9	370
142400	HPSV 400W tubular	6	450
142403	HPSV 1000W SV Tubular	4	4500

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	MRP ₹
-----------------------	----------------	-----------	------------------	-------



HPSV SON T PLUS LAMPS

148143	70 W SV T plus		12	480
140050	150W SV T plus		9	680
140051	250W SV T plus		9	825
140052	400W SV T plus		6	875



METAL HALIDE

148033	70W MH DE		24	580
148034	150W MH DE		24	600
140023	70W MH coated elliptical E27		12	790
140028	150W MH coated elliptical E27		12	840
140085	150W MH coated elliptical E40		12	950
140033	250W MH coated elliptical E40		12	1020
140036	400W MH coated elliptical E40		6	1020
148036	70W MH tubular E27		12	910
148037	150W MH tubular E27		12	960
140104	150W MH tubular E40		12	950
140034	250W MH tubular		12	930
140037	400W MH tubular		12	930
140136	1000W MH tubular		6	3000
140065	250W MMH tubular		12	1020
140095	400W MMH tubular		12	930
140078	250 W MMH elliptical coated		12	1020
140137	400W MMH elliptical coated		6	1020

Note: 2KW MH Lamp can be provided on request.
All MH Lamp to be used with totally enclosed toughen glass luminaires.



General notes for all sections :

- **Retail Selling Price (RSP)**
RSP indicates Retail Selling Price.
Product can't be sold above RSP.
Taxes and local levies as applicable is inclusive.
Prices are inclusive of excise duty as per prevailing rate at the time of supply.
- **Unit Price**
Is the list price of a product.
Dealers may sell at prices lower than the list price.
Prices are exclusive of VAT, Octroi and other Govt. levy which shall be charged extra as applicable.
- Prices are in Indian Rupees.
- Prices of all LED luminaires in this price list are for standard luminaire.
- All the prices are subject to change without any prior notice.
- ▶ Denotes MTA (Made to Available) item readily availability at Central Ware House.
- Non Integral luminaires when used with HPMV/HPSV/MH lamp(s) requires separate control gear of appropriate rating.
- All product and installation images are indicative.
- Due to continuous efforts in developing products, improvement - Bajaj Electricals Limited reserves the right to make change in the design and data and withdraw the luminaires without any prior notice.
- This price list supersedes all earlier prices and are excluding lamps/tubes.
- Disputes if any will be subjects to Mumbai jurisdiction only.

BRANCH OFFICES

Ahmedabad

Bajaj Electricals Limited, 106-110, Sakar-III, 1st Floor, Opp. Old High Court, Income Tax Char Rasta, Ashram Road, Ahmedabad 380014. Tel.: 079-27543964, 27543967

Indore

Bajaj Electricals Ltd., 3rd Floor, Commerce House, 7 Race Course Road, Indore. Tel.: 0731-2548909/10/18

Bangalore

Bajaj Electricals Ltd., Bajaj Bhavan, No. 16, Residency Road, Bangalore 560025. Tel.: 080-42662222

Jaipur

Bajaj Electricals Ltd., Raghukamal Niwas, M. I. Road, Jaipur 302001. Tel.: 0141-2377364, 2369541, 2369542

Bhubaneswar

Bajaj Electricals Ltd., Kharavela Nagar, Unit 3, Janpath, Bhubaneswar 751001. Tel.: 0674-2390697, 2396980, 2394052

Kolkata

8/1, Lalbazar St., 3rd Floor, Bikaner Building, Kolkata 700001 Tel.: 033-22622685

Chandigarh

M/s. Bajaj Electricals Ltd., SCO-52, Sector-26, Madhya Marg, Chandigarh 160026. Tel.: 0172-5008500

Lucknow

Bajaj Electricals Limited., 2nd Floor, Shalimar Titanium, Near Indira Gandhi Pratishthan, Vibhuti Khand, Gomti Nagar, Lucknow 226010. (U. P.) Tel: 0522-4938900-30

Chennai

Navin's Presidium, 8th Floor, A-Block, No.103, Nelson Manickam Road, Aminjikarai, Chennai 600029. Tel.: 044-30662200

Mumbai

Bajaj Electricals Ltd., Harchandrai House, 3rd Floor, 81, Queens Road, Marine Lines, Mumbai 400002. Tel.: 022-22193000

Cochin

Bajaj Electricals Ltd., 42/1107-CRL House, Tata Oil Mills Road, Cochin 682018 (Kerala). Tel.: 0484-2391119, 2392039

Nagpur

Bajaj Electricals Ltd., 2nd Floor, Saraf Court, Opp. Yashwant Stadium, Dhantoli, Nagpur 440012. Tel.: 0712-2440318, 2440319

Delhi/Haryana

Bajaj Electricals Ltd., 1/10, Asaf Ali Road, New Delhi 110002. Tel.: 011-23503700

Noida

Bajaj Electricals Ltd., Unit No. 432 to 434, 4th Floor, Block-A, Pacific Business Park, Plot No. 37/1, Site IV, Sahibabad Industrial Area, Ghaziabad 201010.(U. P.) Tel: 0120-4040400

Delhi (Gulmohar)

Bajaj Electricals Ltd., Gulmohar House, 5th Flr, 161/B-4, Gautam Nagar, Yusuf Sarai, New Delhi 110049. Tel.: 011-26549100

Patna

Bajaj Electricals Limited, Post Box No. 113, 5Th Floor, Kashi Place, Dakbunglow Road, Patna 800001. Tel.: 0612-2220155, 22231427

Guwahati

Bajaj Electricals Ltd., Agarwal House, Christian Basti, G. S. Road, Guwahati 781005. Tel.: 0361-2346497, 2346498, 2346499

Pune

Bajaj Electricals Ltd., Maneck Hall-2, General Thimayya Road, Camp, Pune 411001. Tel.: 020-26302000

Hyderabad

Bajaj Electricals Ltd., 6-3-1090/2, 3rd Floor, Vittal Das Chambers, Raj Bhavan Road, Somaji Guda, Hyderabad 500082 Tel.: 040-23442932, 23442933

Raipur

Bajaj Electricals Ltd., Bajaj Bhawan, Near Anupam Garden, Doongaji Colony, G. E. Road, Raipur (Chhattisgarh) 492001. Tel.: 0771-2263976, 2263986, 4060166